Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

DECK LOG-TITLE PAGE
NAVPERS 716 (Rev. 4-56)

DECK LOG BOOK

OF THE

U.S.S. ABNAKI

ATF-96
IDENTIFICATION NUMBER

COMMANDED BY

LT C.C. Reed, U. S. N.

Attached to
_____ Division,
_____ Squadron,
_____ Flotilla,
SERVICE FORCE U.S. PACIFIC Fleet,
_____ Naval District,

Commencing + 10W 1 March, 1964,
(zone time and date)

at Pearl Harbor, Hawaii,
(location)

and ending + 10W 31 March, 1964,
(zone time and date)

at Pearl Harbor, Hawaii
(location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP _____ _____ , 19 ____

(Day) (Date) (Month)

APPROVED:

_____ U. S. N. COMMANDING

EXAMINED:

_____ U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 W DATE Sunday (Day) 1 (Date) March (Month), 19 64

AT/PASSAGE FROM PEARL HARBOR HAWAII ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	030	2	10	Sct	3011	75	69	4	1200	Cu			
02	030	3	10	Sct	3010	75	69	5	1800	Cu			
03	030	3	10	Sct	3010	75	69	5	2000	Cu			
04	040	2	10	Sct	3008	74	68	5	2000	Cu			
05	050	3	10	Sct	3006	74	68	4	2000	Cu			
06	050	3	10	Sct	3008	74	68	3	2000	Cu			
07	055	3	10	Sct	3008	77	69	3	2000	Cu			
08	055	7	10	Sct	3009	78	70	3	2000	Cu			
09	040	3	10	Sct	3010	81	71	3	2000	Cu			
10	040	5	10	Sct	3010	81	72	3	2000	Cu			
11	050	6	10	Sct	3010	81	72	2	2000	Cu			
12	050	2	10	Sct	3010	84	72	4	2000	Cu			
13	055	4	10	Sct	3006	86	72	5	2000	Cu			
14	060	2	10	Sct	3004	86	72	4	2000	Cu			
15	070	7	10	Sct	2999	88	74	3	2000	Cu			
16	060	9	10	Sct	2998	86	75	2	2000	Cu			
17	065	10	10	Sct	2997	84	75	3	2000	Cu			
18	060	11	10	Sct	2999	82	72	3	2000	Cu			
19	050	6	10	Sct	3000	81	72	3	2000	Cu			
20	050	5	10	Sct	3000	80	71	2	2000	Cu			
21	050	3	10	Sct	3000	80	70	2	2000	Cu			
22	050	8	10	Sct	3000	79	70	2	2000	Cu			
23	055	8	10	Sct	3000	77	70	2	2000	Cu			
24	045	6	10	Sct	3002	75	70	2	2000	Cu			

POSITION	ZONE	TIME
0800 L IN PORT	BY	
λ	BY	
1200 L	BY	
λ	BY	
2000 L	BY	
λ	BY	

LEGEND: 1—CELESTIAL 2—ELECTRONIC 3—VISUAL 4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 250

REMARKS

00-04 moored portside to berth Siena Seventeen (S-17) US Naval Submarine base Pearl Harbor Hawaii using standard nylon moorings lines doubled. Receiving fresh water, electricity and telephone service from the pier. Ships present include various units of the U.S. Pacific Fleet and various yard and district small craft. Material condition Yoke modified is set. SOPA is CinC Pac Flt.

Rm Turner Ens USNR

04-08 Moored as before, 0745 mustered crew on stations absentees none.

Rm Turner Ens USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: D S Mason, Stjg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNARI (ATF 96) SUNDAY (Day) / 1 (Date) MARCH (Month), 19 64

Ø8-12 MOORED AS BEFORE. 1033 MADE DAILY INSPECTION OF MAGAZINES. CONDITIONS: NORMAL

C. P. McKenzie, Ens, USNR

12-16 MOORED AS BEFORE.

C. P. McKenzie, Ens, USNR

16-2Ø. MOORED AS BEFORE. 18ØØ SET MATERIAL CONDITION YORE MODIFIED. MUSTERED THE INPORT DUTY FIRE PARTY. ABSENTEES: NONE.

C. P. McKenzie, Ens, USNR

2Ø-24 MOORED AS BEFORE.

C. P. McKenzie, Ens, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D A Mason Sgt U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE MONDAY (Day) 2 (Date) MARCH (Month), 19 6X

AT/~~PASSAGE~~ FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	041	2	10	Sct	3009	75	73	4	2000	Cu			
02	042	3	10	sct	3011	75	73	4	2000	Cu			
03	042	4	10	sct	3011	76	74	4	2000	Cu			
04	042	4	10	Sct	3011	73	66	4	2000	Cu			
05	042	4	10	BKN	3011	73	66	7	2000	Cu			
06	042	4	10	Sct	3012	73	66	4	2000	Cu			
07	042	4	10	Sct	3013	73	66	4	2000	Cu			
08	055	5	10	BKN	3014	74	67	7	2000	Cu			
09	055	6	10	BKN	3014	71	67	8	2000	Cu			
10	055	6	10	BKN	3013	76	68	7	2000	Cu			
11	055	4	10	BKN	3014	76	69	7	2000	Cu			
12	050	8	10	BKN	3013	81	69	7	2000	Cu			
13	040	6	10	BKN	3012	80	70	7	2000	Cu			
14	045	6	10	BKN	3009	85	71	8	2000	Cu			
15	050	6	10	Sct	3008	86	71	6	2000	Cu			
16	055	6	10	sct	3006	86	71	5	2000	Cu			
17	055	6	10	Sct	3006	85	71	4	2000	Cu			
18	050	5	10	sct	3008	81	71	4	2000	Cu			
19	045	3	10	Sct	3010	80	71	4	2000	Cu			
20	020	2	10	sct	3010	79	70	3	2000	Cu			
21	030	2	10	Sct	3011	79	69	3	2000	Cu			
22	040	2	10	sct	3012	80	68	3	2000	Cu			
23	030	2	10	sct	3012	78	66	3	2000	Cu			
24	030	2	10	Sct	3012	71	67	3	2000	Cu			

POSITION	ZONE	TIME
0800		
L N port		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 MOORED PORT SIDE TO IN BERTH SIERRA SEVENTEEN. US NAVAL SUBMARINE BASE PEARL HARBOR HAWAII, WITH STANDARD MOORING LINES DOUBLED. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. MATERIAL CONDITION YOKE IS SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET, DISTRICT, AND YARD CRAFT. SOPA IS CINCPACFLT

C. P. McKenzie, Ens, USNR

04-08 MOORED AS BEFORE. 0650 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

C. P. McKenzie, Ens USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R D Mason, Sllg. U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Monday (Day) 2 (Date) MARCH (Month), 19 64

0800-1200 MOORED AS BEFORE. 0830 PARKER, ROBERT L. 599-12-79 EN3 USN, WHILE TAKING ON STORES, DROPPED A PACKING CASE, CATCHING HIS FINGER BETWEEN CASE AND HATCH COAMING, ~~SUR~~ SUFFERING A SIMPLE FRACTURE OF THE FOURTH FINGER OF LEFT HAND; NOT DUE TO HIS OWN MISCONDUCT. TREATMENT ADMINISTERED BY MEDICINAL REPRESENTATIVE & DISPOSITION: PLACED ON LIGHT DUTY.

J E Hunter
LTJG USN

1200-1600 MOORED AS BEFORE.

J E Hunter
LTJG USN

1600-2000 MOORED AS BEFORE 1600 SET MODIFIED MATERIAL CONDITION YOKE.

J E Hunter
LTJG USN

2000-2400 MOORED AS BEFORE.

J E Hunter
LTJG USN

APPROVED:

C C Reed Lt. U. S. N. COMMANDING

EXAMINED:

P D Mason Ltjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U.S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE TUESDAY (Day) 3 (Date) MARCH (Month), 19 64

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	045	2	10	SCT	3000	77	74	1	1500	CU			
02	045	2	10	L	3000	77	73	3	1500	CU			
03	045	2	10	L	3000	78	73	3	1500	CU			
04	040	4	10	L	3000	77	73	3	1500	CU			
05	040	4	10	R	3000	76	73	6	2000	CU			
06	040	5	10	R	3000	76	73	6	2000	CU			
07	035	2	10	R	3000	76	73	6	2000	CU			
08	035	2	10	SCT	3006	77	71	5	2000	ST/CU			
09	035	2	10	BKN	3007	79	72	7	2000	ST/CU			
10	035	2	10	BKN	3006	80	73	8	2000	ST/CU			
11	030	2	10	BKN	3007	80	74	8	2000	ST/CU			
12	030	2	10	BKN	3004	86	76	8	2000	ST/C			
13	030	2	10	BKN	3004	87	77	8	2000	ST/			
14	030	2	10	BKN	3000	81	75	8	1800	ST/			
15	035	2	10	BKN	3000	81	75	9	1500	ST/CU			
16	035	2	10	BKN	3001	80	71	9	1500	CU			
17	035	2	10	BKN	3003	79	71	8	1500	CU			
18	030	2	10	BKN	3003	78	70	8	1500	CU			
19	030	2	10	BKN	3003	78	70	8	2000	CU			
20	035	2	10	BKN	3006	78	70	6	1700	CU			
21	030	2	10	BKN	3008	76	70	8	1700	CU			
22	035	2	10	L	3008	74	71	7	1700	CU			
23	035	N	10	SCT	3009	74	69	4	1700	CU			
24	030	N	10	SCT	3009	74	69	4	1800	CU			

POSITION	ZONE	TIME
0800 L IN PORT		BY
λ		BY
1200 L		BY
λ		BY
2000 L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 MOORED PORTSIDE TO, N BERTH SIERRA SEVENTEEN. U.S. SUBMARINE BASE, PEARL HARBOR HAWAII, WITH STANDARD MOORING LINES. MODIFIED MATERIAL CONDITION YOKE SET. RECEIVING FRESH WATER, ELECTRICAL POWER, AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS U.S. PACIFIC FLEET, YARD, AND DISTRICT CRAFT. SOPA IS CINCPACFLT.

L E Hunter
LTJG USN

04-08 MOORED AS BEFORE. 0650 MUSTERED CREW AT QUARTERS: ABSENTEES NONE.

L E Hunter
LTJG USN.

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R D Mason, Ltjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) TUESDAY (Day) 3 (Date) MARCH (Month) 1964

08-12 moored as before. 0820 made daily inspection of magazines. Conditions: Normal. 1045 commenced exercising the Crew at General Quarters drills. 1150 Material condition Yoke (modified) set. Secured from General Quarters drills.

Jas. Hollis, CWO2, USN

12-16 moored as before.

Jas. Hollis, CWO2, USN

16-20 moored as before, 1800 set material condition Yoke (Modified), mustered the inport duty fire party (provide) absentees: none.

Jas. Hollis, CWO2, USN

20-24 moored as before.

Jas. Hollis, CWO-2, USN

APPROVED: C. E. Reed Lt. U. S. N. COMMANDING

EXAMINED: R. D. Mason, Stjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION F10 W DATE WEDNESDAY (Day) 4 (Date) MARCH (Month), 1964

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	040	5	10	Sct	3004	75	68	3	2000	Cu			
02	040	5	10	Sct	3004	75	68	3	2000	Cu			
03	040	5	10	Sct	3004	75	68	3	2000	Cu			
04	040	3	10	Sct	3001	75	68	3	2000	Cu			
05	040	3	10	Sct	3001	75	68	3	2000	Cu			
06	040	3	10	Sct	3001	73	68	3	2000	Cu			
07	040	1	10	Sct	3004	74	69	3	2000	Cu			
08	040	1	10	Sct	3004	76	70	4	2000	Cu			
09	040	1	10	Sct	3004	79	72	5	2000	Cu			
10	040	1	10	Sct	3004	83	74	5	2000	Cu			
11			10	Sct	3004	85	76	5	2000	Cu			
12			10	Sct	3004	91	80	5	2000	Cu			
13	045	5	10	Sct	3001	91	80	5	2000	Cu			
14	045	5	10	Sct	3000	93	80	5	2000	Cu			
15	045	5	10	Sct	3000	91	80	5	2000	Cu			
16			10	Sct	3000	90	80	5	2000	Cu			
17	030	2	10	Sct	3000	89	79	5	2000	Cu			
18	030	2	10	Sct	3001	84	78	5	2000	Cu			
19	030	2	10	Sct	3004	83	77	5	2000	Cu			
20	030	1	10	Sct	3005	80	74	5	2000	Cu			
21	030	1	10	Sct	3004	78	75	6	2000	Cu			
22	030	1	10	Sct	3004	76	71	6	2000	Cu			
23	030	1	10	R	3005	76	71	8	2000	St			
24	030	1	10	R	3005	76	71	8	2000	St			

POSITION	ZONE	TIME
0800		
L IN PORT		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 moored port side to berth Sierra 17, 7th U.S. Naval Submarine Base, Pearl Harbor, Hawaii, with standard lines doubled. Material condition yoke (modified) set. Receiving potable water, Electrical power, and telephone services from the pier. Ships present include various units of the U.S. Pacific Fleet, District and Small Craft. S.O.P.B. is CinCPac Flt.

J.L. Hollis, CWO2, USN

04-08 moored as before. 0650 mustered the crew at Quarters. Absentees: None.

J.L. Hollis, CWO2, USN

APPROVED: C.C. Reed Lt. U. S. N. COMMANDING

EXAMINED: R.R. Mason, Stjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Wednesday (Day) 4 (Date) March (Month) 19 64

08-12 Moored as before 0847 made daily inspection of magazines conditions normal.

Lm Turner Eus USN

12-16 Moored as before

Lm Turner Eus USN

16-20 Moored as before 1800 Set material condition Yoke maintained.

Lm Turner Eus USN

20-24 Moored as before

Lm Turner Eus USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D D Nason, SGjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10W DATE Thursday (Day) 5 (Date) March (Month), 19 64

AT/PASSAGE FROM Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	034	2	10	Sct	3006	75	70	4	3000	Cu			
02	034	3	10	Sct	3008	76	70	5	3000	Cu			
03	034	3	10	Sct	3010	74	69	5	3000	Cu			
04	040	3	10	Sct	3011	74	68	5	3000	Cu			
05	050	3	10	Sct	3009	74	68	4	5000	Cu			
06	050	3	10	Sct	3007	76	70	3	5000	Cu			
07	055	9	10	Sct	3006	76	70	3	7000	Cu			
08	055	3	10	Sct	3006	79	71	3	6000	Cu			
09	040	1	10	Sct	3006	79	72	3	4000	Cu			
10	040	1	10	Sct	3002	81	75	4	2000	Cu			
11	040	1	10	Sct	3003	83	75	4	2000	Cu			
12	040	2	10	Sct	3003	85	75	4	2000	Cu			
13	050	3	10	Sct	3001	86	75	4	2000	Cu			
14	050	3	10	Sct	3000	87	73	2	2000	Cu			
15	050	2	10	Sct	2998	86	72	3	2000	Cu			
16	050	3	10	Sct	2998	86	71	4	2000	Cu			
17	060	3	10	Sct	2997	81	71	4	2000	Cu			
18	065	3	10	Sct	2995	82	70	3	2000	Cu			
19	070	3	10	Sct	3001	81	70	3	2000	Cu			
20	065	3	10	Sct	3002	80	67	2	2000	Cu			
21	065	3	7	Sct	3003	77	69	3	2000	Cu			
22	065	3	8	Sct	3004	77	69	3	2000	Cu			
23	065	2	10	Sct	3005	77	69	2	2500	Cu			
24	065	2	10	Sct	3006	76	68	2	2500	Cu			

POSITION	ZONE	TIME
0800 L IN PORT		BY
λ		BY
1200 L		BY
λ		BY
2000 L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

0000-04 moored portside to berth Siera Seventeen (S-17) U.S. Naval Submarine Base Pearl Harbor Hawaii using standard nylon mooring lines doubled. Receiving fresh water, electrical power and telephone service from the pier. Ships present include various units of the US Pacific Fleet and yard and district small craft. Material condition Yoke modified as set. SOPA is ComSubFlt.

Wm Turner Ens USN

04-08 moored as before. 0650 mustered crew at quarters, absentees none. 0704 made preparations to move ship to berth Bravo 15 cold iron. 0736 Set Special Sea and anchor detail. Captain and navigator on the bridge. Pilot RC Wilson has the conn. YTR-571 and YTM 195 come along side and put lines

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D S Mason, Stjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNARI (ATF 96) THURSDAY (Day) 5 (Date) MARCH (Month), 1964

0408 (Cont) over. 0747 Underway from berth S-17 to B-15 in accordance with verbal order of COMSERVPAC.

[signature] Ens USNR

08-12 Underway as before. 0812 Moored portside to berth Bravo fifteen US naval Shipyard Pearl Harbor. Receiving fresh water, electrical power and telephones service from the pier.

[signature] Ens USNR

08-12 (CONTINUED) MOORED AS BEFORE 1152 MADE DAILY INSPECTION OF MAGAZINES. ~~AND~~ CONDITIONS: NORMAL.

C.P. McKenzie, Ens, USNR

12-16 MOORED AS BEFORE.

C.P. McKenzie, Ens, USNR

16-20 MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE MODIFIED. MUSTERED THE INPORT FIRE PARTY. ABSENTEES: NONE.

C.P. McKenzie, Ens, USNR

20-24 MOORED AS BEFORE.

C.P. McKenzie, Ens, USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: D S Mason, Stjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U.S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (AH 96) ZONE DESCRIPTION +10 W DATE FRIDAY 6 MARCH, 19 64
(Day) (Date) (Month)

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	034	1	10	Sct	3000	75	70	5	1800	Cu			
02	034	1	10	Sct	3000	75	70	5	1800	Cu			
03	034	2	10	Sct	3000	75	70	5	1800	Cu			
04	034	2	10	BKN	3000	75	70	8	2000	Cu			
05	040	2	10	Sct	3000	74	70	5	2000	Cu			
06	040	2	10	Sct	3001	75	69	4	2000	Cu			
07	030	2	10	Sct	3001	74	69	4	2000	Cu			
08	050	2	10	Sct	3002	76	70	4	2000	Cu			
09	060	2	10	Sct	3003	79	72	4	2000	Cu			
10	060	3	10	Sct	3005	83	73	5	2000	Cu			
11	050	3	10	Sct	3005	83	72	5	2000	Cu			
12	050	3	10	BKN	3003	83	72	7	2000	Cu			
13	050	1	10	BKN	3000	84	73	7	2000	Cu			
14	050	1	10	BKN	2998	84	74	7	2000	Cu			
15	050	1	10	BKN	2998	84	73	8	2000	Cu			
16	050	1	10	BKN	2999	85	73	8	2000	Cu			
17	050	1	10	BKN	2999	84	73	8	2000	Cu			
18	050	1	10	BKN	2999	83	73	8	2000	Cu			
19	050	2	10	BKN	2999	81	73	8	2000	Cu			
20	050	2	10	BKN	3000	80	73	6	2000	Cu			
21	040	2	10	BKN	3001	79	73	7	2000	Cu			
22	045	2	10	BKN	3003	79	71	7	2000	Cu			
23	040	4	10	Sct	3004	77	70	5	2000	Cu			
24	040	4	10	Sct	3005	76	70	5	2000	Cu			

POSITION	ZONE	TIME
0800		
L IN port		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 MOORED PORT SIDE TO IN BERTH BRAVO FIFTEEN NAVAL BASE PEARL HARBOR HAWAII WITH STANDARD MOORING LINES DOUBLED. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. MATERIAL CONDITION YOKE MODIFIED IS SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET, DISTRICT AND YARD CRAFT. SODA IS CIRCULATED.

C. P. McKenzie, Ens, USNR

04-08 MOORED AS BEFORE. 0650 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE. 0743 MADE DAILY INSPECTION OF MAGAZINES. CONDITIONS: NORMAL. Made weekly Test of MAGAZINE SPRINKLER. TEST SATISFACTORY.

C. P. McKenzie, Ens, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R D Mason, Lt(jg) U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 FRIDAY (Day) 6 (Date) MARCH (Month) 10 64

0800-1200 MOORED AS BEFORE

L E Horton
LTJG USN

1200-1600 MOORED AS BEFORE

L E Horton
LTJG USN

1600-2000 MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE - MODIFIED.

L E Horton
LTJG USN

2000-2400 MOORED AS BEFORE

L E Horton
LTJG USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Nox, Lt(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-M1

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE SATURDAY (Day) 7 (Date) MARCH (Month), 19 64

AT/PASSAGE FROM HONOLULU HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	050	5	8	Sct	3006	73	69	4	1800	Cu			
02	040	3	7	Sct	3004	73	69	4	1800	Cu			
03	060	2	7	Sct	3002	73	68	5	1800	Cu			
04	055	4	8	Sct	3003	77	70	4	2000	Cu			
05	055	4	8	Sct	3004	75	70	4	2000	Cu			
06	050	4	8	sct	3006	74	70	5	2000	Sc			
07	050	4	6	Sct	3006	74	71	6	2000	Sc			
08	050	4	10	BKN	3004	75	71	9	2000	Sc			
09	050	4	10	BKN	3005	77	73	9	2000	Sc			
10	050	6	10	BKN	3005	79	74	8	2000	Sc			
11	050	3	10	BKN	3005	81	75	8	2000	Cu			
12	050	2	10	BKN	3004	83	75	8	2000	Cu			
13	050	4	10	BKN	3003	84	75	8	2000	Cu			
14	040	4	10	BKN	3002	83	75	7	2000	Cu			
15	050	4	10	BKN	3001	82	74	7	2000	Cu			
16	050	4	10	BKN	3004	77	73	10	2000	Cu			
17	050	4	10	BKN	3004	76	72	10	2000	Cu			
18	050	4	10	BKN	3006	76	71	8	2000	Cu			
19	050	4	10	BKN	3008	76	71	8	2000	Cu			
20	050	4	10	BKN	3009	75	70	8	2000	Cu			
21	050	4	10	BKN	3010	75	70	8	2000	Sc			
22	050	4	10	BKN	3011	75	70	8	2000	Sc			
23	050	4	10	BKN	3012	55	70	8	2000	Cu			
24	050	4	10	BKN	3010	75	68	8	2000	Cu			

POSITION	ZONE	TIME
0800		
L IN PORT		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 0

REMARKS

00-04 MOORED PORT SIDE TO IN BERTH BRAVO FIFTEEN, US NAVAL SHIPYARD, PEARL HARBOR HAWAII WITH STANDARD MOORING LINES. MODIFIED MATERIAL CONDITION YOKE SET. RECEIVING ELECTRICIAL POWER, FRESH WATER, STEAM, AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, YARD, AND DISTRICT CRAFT. SOPA IS CINC PACFLT.

J E Hunter
LTJG USN

04-08 MOORED AS BEFORE. 0745 MUSTERED CREW ON STATIONS. ASSENTEES: NONE.

J E Hunter
LTJG USN.

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R N Mason, Stgr U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY (Day) 7 (Date) MARCH (Month) 19 64

08-12 moored as before. 0818 made daily inspection of magazines, conditions: Normal.

J.L. Hollis, CWO2, USN

12-16 moored as before.

J.L. Hollis, CWO2, USN

16-20 moored as before: 1800 set material condition yoke (modified). 1830 mustered the import fire party: absentees: none.

J.L. Hollis, CWO2, USN

20-24 moored as before.

J.L. Hollis, CWO2, USN

APPROVED: C.C. Reed Lt. U. S. N. COMMANDING

EXAMINED: R.D. Mason, Ltjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 W DATE SUNDAY (Day) 8 (Date) MARCH (Month), 1964

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	050	5	10	Sct	3004	74	70	5	1500	Cu			
02	030	2	10	Sct	3003	74	70	3	1500	Cu			
03	020	3	10	Sct	3001	73	70	3	2000	Cu			
04	020	1	10	Sct	3001	74	70	3	2000	Cu			
05	020	2	10	Sct	3001	74	70	3	2000	Cu			
06	020	2	10	Sct	3001	76	73	3	2000	Cu			
07	020	3	10	Sct	3002	77	73	3	2000	Cu			
08	030	3	10	Sct	3003	79	73	3	2000	Cu			
09	040	3	10	Sct	3001	80	74	3	2000	Cu			
10	040	4	10	Sct	3002	81	75	3	2000	Cu			
11	040	5	10	Sct	3003	85	75	3	2000	Cu			
12	050	5	10	Sct	3004	84	75	5	2000	Cu			
13	055	3	10	Sct	3004	84	75	5	2000	Cu			
14	050	2	10	Sct	3004	85	75	5	2000	Cu			
15	050	2	10	Sct	3005	85	75	5	2000	Cu			
16	050	2	10	Sct	3005	84	75	5	2000	Cu			
17	055	2	10	Sct	3004	83	74	3	2000	Cu			
18	055	3	10	Sct	3007	81	74	3	2100	Cu			
19	060	3	10	Sct	3008	80	72	4	2100	Cu			
20	055	3	10	Sct	3006	79	71	4	2500	Cu			
21	050	3	10	Sct	3005	77	70	5	2000	Cu			
22	050	3	10	Sct	3006	77	70	5	2000	Cu			
23	040	3	10	Sct	3007	77	70	5	2000	Cu			
24	040	3	10	Sct	3008	77	70	5	2000	Cu			

POSITION	ZONE	TIME
0800		
L IN PORT		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 moored portside to berth, Bravo-8 15 U.S. Navy Naval shipyard pearl Harbor, with standard mooring lines doubled, material condition yoke (modified) set. Receiving potable water, electricity, steam and telephone services from the pier. Ships present include various units of the U.S. Pacific Fleet, district and small craft. S.O.P.A. is Cin C Pac Flt.

J.L. Hollis, CWO 2, USN.

04-08 moored as before: 0745 mustered hands on stations: Absentees: None.

J.L. Hollis, CWO 2 USN

APPROVED: C.C. Reed Lt. U. S. N. COMMANDING

EXAMINED: D.R. Mason, Lt(jg) U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Sunday (Day) 8 (Date) March (Month), 19 64

08-12 Moored as before 0930 Made daily inspection of magazines conditions normal.

Lm Turner Ens USNR

12-16 Moored as before

Lm Turner Ens USNR

16-20 Moored as before 1800 Set material condition yoke modified

Lm Turner Ens USNR

20-24 Moored as before

Lm Turner Ens USNR

APPROVED: C C Reed Lt U. S. N. COMMANDING

EXAMINED: R S Mason, Jr Lt U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10W DATE Monday 9 March, 19 64
(Day) (Date) (Month)

AT/PASSAGE FROM Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	050	3	10	BKN	3007	75	71	8	1500	Sc			
02	050	5	10	BKN	3007	75	70	8	1500	Sc			
03	050	5	10	BKN	3007	75	70	8	1500	Sc			
04	040	5	7	BKN	3007	75	70	8	1600	Sc			
05	040	5	7	BKN	3008	75	70	8	1600	Sc			
06	040	5	7	R	3009	75	69	8	1000	St			
07	044	5	7	R	3010	75	69	9	1000	St			
08	044	6	8	R	3014	75	69	8	1000	St			
09	044	6	9	R	3015	79	70	8	1000	St			
10	044	6	10	R	3016	79	70	8	1000	St			
11	043	6	10	R	3016	76	70	8	1000	St			
12	044	6	10	R	3015	76	68	8	1000	St			
13	044	5	10	R	3013	75	68	8	1000	St			
14	045	5	10	Sct	3012	74	67	6	2000	Sc			
15	045	5	10	Sct	3012	77	66	6	2000	Sc			
16	040	5	10	Sct	3011	77	67	6	2000	Sc			
17	050	7	10	Sct	3010	77	67	5	2000	Sc			
18	050	8	10	Sct	3010	75	67	4	2000	Sc			
19	050	8	7	Sct	3008	74	66	4	2000	St			
20	036	8	9	L	3009	74	67	6	2000	St			
21	040	10	10	L	3008	75	68	6	2000	St			
22	040	3	10	L	3008	76	69	8	2000	St			
23	040	5	10	L	3008	77	70	8	2000	St			
24	040	5	10	L	3007	75	70	6	2000	St			

POSITION	ZONE	TIME
0800 L IN PORT		BY
λ		BY
1200 L		BY
λ		BY
2000 L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 moored port side to berth Bravo fifteen (B-15) U.S. Naval Shipyard Pearl Harbor, Hawaii using four standard nylon mooring lines doubled. Receiving fresh water, electrical power, telephone service from the pier. Ships present include various units of U.S. Pacific Fleet and district small craft. Material condition Yoke modified is set. SOPA is C in C Pac Flt.

Wm Turner Ens USN

04-08 moored as before 0650 mustered crew at quarters absentees: none

Wm Turner Ens USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason, Flyg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 96) MONDAY (Day) 9 (Date) MARCH (Month), 19 64

0800-1200 MOORED AS BEFORE. 0813 MADE DAILY INSPECTION OF MAGAZINES. CONDITIONS: NORMAL.

C.P. McKenzie, Ens USNR

1200-1600 MOORED AS BEFORE.

C.P. McKenzie, Ens, USNR

~~MOORED AS BEF~~

1600-2000 MOORED AS BEFORE 1800 SET CONDITION YOKE MODIFIED. 1821 HELD FIRE DRILL 1845 SECURED FROM FIRE DRILL.

C.P. McKenzie, Ens, USNR

2000-2400 MOORED AS BEFORE.

C.P. McKenzie, Ens, USNR

APPROVED: C.C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R.S. Nasen, Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY

NAVY-DPPO-12ND-M1

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF 96) ZONE DESCRIPTION +10W DATE TUESDAY (Day) 10 (Date) MARCH (Month), 19 64

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	8	10	L	3007	75	69	8	2000	St			
02	040	6	10	L	3007	75	69	6	1000	St			
03	040	6	10	L	3008	74	69	6	1000	St			
04	045	7	10	L	3010	74	68	5	1700	St			
05	045	5	10	L	3008	73	68	7	1700	St			
06	050	4	10	L	3006	72	67	7	1400	Sc			
07	050	4	10	Sct	3006	74	67	6	1400	Sc			
08	040	3	10	Sct	3006	76	69	6	1600	Sc			
09	040	8	10	Sct	3004	77	70	5	1700	Sc			
10	040	5	10	Sct	3006	77	67	5	2000	Cu			
11	040	5	10	Sct	3006	74	69	4	2000	Cu			
12	040	4	10	Sct	3009	81	71	4	2000	Cu			
13	040	4	10	Sct	3009	83	71	5	2000	Sc			
14	045	4	10	Sct	3009	83	73	6	2000	Sc			
15	050	5	10	BKN	3008	79	74	7	2000	Sc			
16	050	7	10	BKN	3008	79	71	7	2000	Sc			
17	040	6	10	Sct	3009	79	70	6	2000	Sc			
18	030	5	10	BKN	3010	76	70	7	2000	Sc			
19	030	4	10	Sct	3010	75	70	6	2000	Sc			
20	030	3	10	BKN	3011	74	69	7	2000	Sc			
21	030	3	10	BKN	3011	74	68	7	2000	Sc			
22	030	7	10	BKN	3012	73	68	7	2000	Sc			
23	035	7	10	BKN	3013	73	67	7	2000	Sc			
24	035	7	10	BKN	3014	73	67	7	2000	Sc			

POSITION	ZONE	TIME
0800		
L IN PORT		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 0

REMARKS

00-04 MOORED PORT SIDE TO IN BERTH BRAVO FIFTEEN (B-15) US NAVAL SHIPYARD, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET, DISTRICT AND YARD CRAFT. SOPA IS COM ASW FOR PAC.

C. P. McKenzie, Ens, USNR

04-08 MOORED AS BEFORE. ~~0645~~ 0650 MUSTERED ON THE CREW AT QUARTERS ABSENTEES: NONE.

C. P. McKenzie, Ens, USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R D Mason, Stjg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 TUESDAY (Day) 10 (Date) MARCH (Month), 19 64

0800-1200 MOORED AS BEFORE 0814 MADE DAILY INSPECTION OF MAGAZINES: CONDITIONS NORMAL

L E Horton
LTJG USN

1200-1600 MOORED AS BEFORE.

L E Horton
LTJG USN

1600-2000 MOORED AS BEFORE 1800 SET MODIFIED MATERIAL CONDITION YOKE.

L E Horton
LTJG USN

2000-2400 MOORED AS BEFORE

L E Horton
LTJG USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R D Mason Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-M1

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE WEDNESDAY (Day) 11 (Date) MARCH (Month), 19 64 SEH

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	060	2	10	SCT	3011	73	67	2	2000	Cu			
02	060	2	10	SCT	3011	73	67	2	2000	Cu			
03	060	2	10	SCT	3011	72	67	2	2000	Cu			
04	055	2	10	SCT	3010	72	67	2	2000	Cu			
05	055	2	10	SCT	3008	72	68	2	2000	Cu			
06	055	2	10	SCT	3008	72	68	3	2000	Cu			
07	055	2	10	SCT	3009	73	68	3	1800	Cu			
08	050	2	10	R	3011	74	68	6	1000	Cu			
09	055	2	10	BVN	3012	76	69	7	2000	Cu			
10	040	2	10	BKN	3013	78	70	7	2000	Cu			
11	045	4	10	BKN	3013	79	70	7	2000	Cu			
12	045	4	10	BKN	3009	80	71	7	8000	Cu			
13	045	2	10	BKN	3010	81	71	7	8000	Cu			
14	045	2	10	BKN	3008	82	72	7	2000	Cu			
15	045	2	10	BKN	3006	80	71	7	2000	Cu			
16	050	2	10	BKN	3007	79	71	7	2000	Cu			
17	040	2	10	BKN	3007	77	71	8	2000	Cu			
18	040	2	10	BKN	3006	77	71	8	2000	Cu			
19	040	2	10	BKN	3007	76	71	8	2000	Cu			
20	040	2	10	BKN	3008	75	71	7	2000	Cu			
21	040	2	10	BKN	3008	74	71	7	2000	Cu			
22	040	3	10	BKN	3008	73	71	7	2000	Cu			
23	040	3	10	BKN	3008	73	71	7	2000	Cu			
24	040	3	10	BKN	3010	73	71	7	2000	Cu			

POSITION	ZONE	TIME
0800		
L IN PORT		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 0

REMARKS

00-04 MOORED PORT SIDE TO IN BERTH BRAVO FIFTEEN, US NAVAL SHIPYARD, PEARL HARBOR, HAWAII, WITH STANDARD MOORING LINES. RECEIVING ELECTRICAL POWER, STEAM, FRESH WATER, AND TELEPHONE SERVICE FROM THE PIER. MODIFIED MATERIAL CONDITION YOKE SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, YARD, AND DISTRICT CRAFT. SOPA IS DEPCINC PAC FET.

F E Hunter
LTJG USN

04-08 MOORED AS BEFORE. 0650 MUSTERED CREW AT QUARTERS: ABSENTEES NONE.

F E Hunter
2LTJG USN.

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Mason, Stgy U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) WEDNESDAY (Day) 11 (Date) MARCH (Month) 1964

08-12 moored as before. 1042 made daily inspection of magazines. Conditions normal.

J. L. Hollis CWO2, USN

12-16 moored as before.

J. L. Hollis, CWO2-USN

16-20 moored as before. 1800 set material condition Yoke (modified). 1830 Held inport duty section fire drill.

J. L. Hollis, CWO2, USN

20-24 moored as before.

J. L. Hollis, CWO2, USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Nasen, Sllg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10-W DATE THURSDAY (Day) 12 (Date) MARCH (Month), 1964

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	045	5	10	Sct	3008	75	70	5	1800	Cu			
02	045	2	10	Sct	3006	75	70	5	1800	Cu			
03	045	3	10	Sct	3004	74	68	5	1800	Cu			
04	045	4	10	Sct	3004	74	69	5	1800	Cu			
05	045	4	10	Sct	3004	75	69	5	1800	Cu			
06	040	2	10	Sct	3003	75	69	5	2000	Cu			
07	040	3	10	BKW	3004	75	70	8	2000	Cu			
08	040	4	10	BKW	3004	76	71	7	2000	Cu			
09	040	5	10	BKW	3004	80	71	7	2000	Cu			
10	040	4	10	Sct	3004	83	72	5	2000	Cu			
11	040	3	10	Sct	3004	82	72	5	2000	Cu			
12	040	2	10	Sct	3003	82	72	5	2000	Cu			
13	050	5	10	Sct	3002	82	74	6	2000	Cu			
14	055	6	10	Sct	3002	80	74	5	2000	Cu			
15	050	6	10	Sct	3002	80	73	5	2000	Cu			
16	050	5	10	BKN	3003	80	73	7	2000	Cu			
17	050	4	10	BKW	3002	78	72	7	2000	Cu			
18	450	2	10	BKN	3001	78	72	8	2000	Cu			
19	045	2	10	BKW	3001	77	72	8	2000	Cu			
20	040	3	10	L	3000	77	71	8	2000	St			
21	040	4	10	R	3000	77	71	8	2000	St			
22	040	5	10	R	3000	77	71	8	2000	St			
23	040	5	10	L	3000	77	71	8	2000	St			
24	040	5	10	Sct	3000	75	71	8	2000	St			

POSITION	ZONE	TIME
0800 L IN PORT	BY	
λ	BY	
1200 L	BY	
λ	BY	
2000 L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT

POSITION BETWEEN FIXES

MID. L
MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 moored ~~as be~~ port side to berth BRAVO 15, US Navy Shipyard, Pearl Harbor, Hawaii with standard mooring lines doubled. Material Condition yoke (modified) set. Receiving Electrical power, potable water, steam and telephone service from the pier. Ships present include various units of the U.S. Pacific Fleet District and Small Craft. SO PA is Deputy CinCPac Flt.

J.L. Hollis, CWO2-USN.

04-08 moored as before. 0650 mustered the Crew at Quarters. Absentees: none. 0705 Exercised the Crew at General drills.

J.L. Hollis CWO2. USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Mason, Stjg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Thursday (Day) 12 (Date) March (Month), 19 64

08-12 Moored as before 1049 Made Daily inspection of magazines conditions normal.

Robert M Turner Ens USNR

12-16 Moored as before

Robert M Turner Ens USNR

16-20 Moored as before 1800 Set material condition yoke modified.

Robert M Turner Ens USNR

20-24 Moored as before

Robert M Turner Ens USNR

APPROVED:

C C Reed Lt. U. S. N. COMMANDING

EXAMINED:

R L Mason Lt(jg) U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10W DATE Friday (Day) 13 (Date) March (Month), 19 64

AT/PASSAGE FROM Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	6	10	Sct	3001	71	68	4	2000	Cu			
02	040	6	10	Sct	3001	71	68	4	2000	Cu			
03	040	2	10	Sct	3003	68	67	4	2000	Cu			
04	040	2	10	Sct	3003	68	67	4	2000	Cu			
05	040	2	10	Sct	3004	68	67	5	2000	Cu			
06	040	1	10	Sct	3004	67	66	5	2000	Cu			
07	055	1	10	BKN	3006	72	68	7	2000	Cu			
08	055	1	10	BKN	3008	74	77	7	2000	Cu			
09	060	1	10	BKN	3009	77	73	7	2000	Cu			
10	060	1	10	BKN	3009	80	74	7	2000	Cu			
11	060	2	10	BKN	3009	84	75	7	2000	Cu			
12	060	2	10	BKN	3009	86	75	8	2000	Cu			
13	060	2	10	BKN	3006	86	74	8	2000	Cu			
14	055	3	10	BKN	3004	86	74	8	2000	Cu			
15	055	3	10	BKN	3003	85	73	8	2000	Cu			
16	055	2	10	BKN	3002	84	72	8	2000	Cu			
17	055	2	10	BKN	3001	83	77	8	2000	Cu			
18	050	1	10	BKN	3001	8[illegible]	77	8	2000	Cu			
19	045	1	10	BKN	3001	80	77	8	2000	Cu			
20	040	1	10	BKN	3002	78	76	8	2000	Cu			
21	040	2	10	BKN	3003	78	75	8	2000	Cu			
22	040	2	10	BKN	3003	76	75	8	2000	Cu			
23	040	2	10	BKN	3002	76	75	8	2000	Cu			
24	040	4	10	BKN	3003	75	75	8	2000	Cu			

POSITION	ZONE	TIME
0800 L IN PORT	BY	
λ	BY	
1200 L	BY	
λ	BY	
2000 L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT

POSITION BETWEEN FIXES

MID. L
MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Moored portside to berth Bravo Fifteen, US Naval Shipyard Pearl Harbor Hawaii using standard mooring lines doubled. Material condition Yoke modified is set. Receiving fresh water, electric power, steam and telephone service from the pier. Ships present include various units of the US Pacific Fleet and yard and district small craft. SOPA is Cinc Pac Flt.

R.M. Turner Eng USNR

04-08 Moored as before 0650 Mustered crew at quarters absentees none

R.M. Turner Eng USNR

APPROVED: C.C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R.S. Nasen, Stgy U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 96) FRIDAY (Day) 13 (Date) MARCH (Month), 19 64

0800-1200 MOORED AS BEFORE. 0910 MADE DAILY INSPECTION OF MAGAZINES: CONDITIONS NORMAL. MADE WEEKLY TEST OF MAGAZINE SPRINKLING SYSTEM. TEST: SATISFACTORY

C. P. McKenzie, Ens, USNR

1200-1600 MOORED AS BEFORE.

C. P. McKenzie, Ens, USNR

1600-2000 MOORED AS BEFORE. 1610 HELD FIRE DRILL. PROVIDE ~~12~~ 1621 SECURED FROM FIRE DRILL. 1800 SET MATERIAL CONDITION YOKE MODIFIED.

C. P. McKenzie, Ens USNR

2000-2400 MOORED AS BEFORE.

C. P. McKenzie, Ens, USNR.

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason, Lt Gy U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF 96) ZONE DESCRIPTION +10W DATE SATURDAY (Day) 14 (Date) MARCH (Month), 19 64

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	0	0	10	BKN	3004	75	74	10	2000	Cu			
02	0	0	10	BKN	3005	74	73	10	2000	Cu			
03	040	1	10	BKN	3006	73	73	10	2000	Cu			
04	020	1	10	BKN	3006	72	72	8	2000	Cu			
05	020	1	10	BKN	3006	73	70	8	2000	Cu			
06	0	0	10	BKN	3006	74	71	1	2000	Cu			
07	0	0	10	BKN	3004	77	71	1	2000	Cu			
08	030	1	10	BKN	3006	74	71	8	2000	Cu			
09	030	1	10	BKN	3006	70	72	8	2000	Cu			
10	020	2	10	BKN	3004	81	73	8	2000	Cu			
11	020	2	10	BKN	3004	83	73	8	2000	Cu			
12	020	1	10	BKN	3006	85	74	7	2000	Cu			
13	020	1	10	BKN	3006	87	71	7	2000	Cu			
14	020	1	10	SCT	3004	86	76	6	2000	Cu			
15	020	1	10	SCT	3003	88	76	5	2000	Cu			
16	023	1	10	SCT	3002	85	76	5	2000	Cu			
17	023	3	10	SCT	3003	84	76	5	2000	Cu			
18	023	4	10	SCT	3006	82	76	5	2000	Cu			
19	020	4	10	SCT	3006	81	75	4	2000	Cu			
20	020	3	10	SCT	3002	80	74	4	2000	Cu			
21	023	3	10	SCT	3007	78	73	4	2000	Cu			
22	023	3	10	SCT	3007	77	72	4	2000	Cu			
23	040	3	10	SCT	3008	77	71	4	2000	Cu			
24	040	3	10	SCT	3008	77	70	4	2000	Cu			

POSITION	ZONE	TIME
0800		
L IN PORT		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
200

REMARKS

00-04 MOORED PORT SIDE TO IN BERTH BRAVO FIFTEEN (B-15) US NAVAL SHIPYARD, PEARL HARBOR, HAWAII, WITH STANDARD MOORING LINES DOUBLED. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. MATERIAL CONDITION YOKE MODIFIED 3 SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET, DISTRICT AND YARD CRAFT. SOPA IS COMASWFORPAC.

C. P. McKenzie, Ens, USNR

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW ON STATIONS. ABSENTEES: NONE.

C. P. McKenzie, Ens, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D Moon, Stjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNARI ATF-96 SATURDAY (Day) 14 (Date) MARCH (Month) 19 64

0800-1200 MOORED AS BEFORE 0855 MADE DAILY INSPECTION OF MAGAZINES: CONDITIONS NORMAL.

H E Horton
LTJG USN

1200-1600 MOORED AS BEFORE

H E Horton
LTJG USN

1600-2000 MOORED AS BEFORE 1800 SET MODIFIED MATERIAL CONDITION YOKE.

H E Horton
LTJG USN

2000-2400 MOORED AS BEFORE

H E Horton
LTJG USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason, Sgt. U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE SUNDAY (Day) 15 (Date) MARCH (Month), 19 64

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	2	10	Sct	3000	77	74	2	2000	Cu			
02	040	2	10	L	3000	77	73	3	2000	St			
03	040	4	10	L	3001	77	73	4	2000	St			
04	035	4	10	L	3002	77	73	4	2000	St			
05	035	4	10	K	3003	76	33	6	2000	St			
06	035	4	10	R	3004	76	73	6	2000	St			
07	035	2	10	R	3005	76	74	6	2000	St			
08	040	2	10	Sct	3006	77	75	5	2000	Sc			
09	055	4	10	BKN	3005	80	75	7	2000	Sc			
10	060	4	10	BKN	3004	80	77	7	2000	Sc			
11	060	4	10	BKN	3002	86	77	8	2000	Sc			
12	065	3	10	BKN	3001	87	77	8	2000	Sc			
13	070	3	10	BKN	3000	81	76	8	2000	Sc			
14	045	2	10	BKN	3000	82	75	7	2000	Sc			
15	070	2	10	BKN	3000	83	74	7	2000	Sc			
16	065	4	10	BKN	3001	81	73	7	2000	Sc			
17	060	4	10	BKN	3003	80	73	7	2000	Sc			
18	070	4	10	BKN	3006	79	72	7	2000	Sc			
19	065	3	10	BKN	3007	78	72	7	2000	Sc			
20	065	3	10	BKN	3008	77	71	7	2000	Sc			
21	060	3	10	BKN	3008	77	71	7	2000	Sc			
22	045	4	10	L	3008	76	71	7	2000	Sc			
23	045	4	10	BKN	3007	75	69	7	2000	Sc			
24	050	2	10	BKN	3009	74	69	7	2000	Sc			

POSITION	ZONE	TIME
0800		
L IN PORT		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 MOORED PORT SIDE TO IN BERTH BRAVO FIFTEEN, US NAVAL SHIPYARD, PEARL HARBOR, HAWAII, WITH STANDARD MOORING LINES. RECEIVING ELECTRICAL POWER, STEAM, FRESH WATER, AND TELEPHONE SERVICE FROM THE PIER. MODIFIED MATERIAL CONDITION YOKE SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. PACIFIC FLEET, YARD, AND DISTRICT CRAFT. SOPA IS CINC PAC FLT.

J E Hart
LTJG USN

04-08 MOORED AS BEFORE. 0745 MUSTERED CREW ON STATIONS. ABSENTEES: NONE.

J E Hart
LTJG USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D J Mason, Sllgs U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SUNDAY (Day) 15 (Date) MARCH (Month), 1964

08-12 MOORED AS BEFORE. 1015 made daily inspection of magazines. Conditions; normal.

J.L. Hollis, CWO2, USN

12-16 MOORED AS BEFORE.

J.L. Hollis, CWO2, USN.

16-20 MOORED AS BEFORE. 1800 SET material condition YOKE JLH (modified).

J.L. Hollis, CWO2 USN

20-24 MOORED AS BEFORE.

J.L. Hollis, CWO2, USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R D Nasen, Slgj U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 W DATE MONDAY (Day) 16 (Date) MARCH (Month), 19 64

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	1	10	Sct	3009	72	68	2	2000	Cu			
02	050	1	10	Sct	3007	71	67	2	2000	Cu			
03	050	2	10	Sct	3006	70	66	3	2000	Cu			
04	030	2	10	Sct	3006	70	66	2	2000	Cu			
05	030	2	10	Sct	3006	71	66	2	2000	Cu			
06	035	2	10	Sct	3007	71	66	3	2000	Cu			
07	035	2	10	Sct	3006	73	66	3	2000	Cu			
08	040	2	10	Sct	3007	76	66	2	2000	Cu			
09	040	3	10	Sct	3008	76	67	3	2000	Cu			
10	048	2	10	Sct	3007	79	68	2	2000	Cu			
11	047	2	10	Sct	3006	80	69	3	2000	Cu			
12	049	2	10	Sct	3006	80	70	3	2000	Cu			
13	050	4	10	Sct	3005	78	70	4	2000	Cu			
14	050	4	10	BKN	3004	77	69	7	2000	Cu			
15	050	4	10	BKN	3003	75	71	7	2000	Cu			
16	050	4	10	R	3002	75	71	9	2000	Cu			
17	050	4	10	BKN	3004	75	70	7	2000	Cu			
18	050	3	10	BKN	3004	75	68	7	1000	Cu			
19	040	3	10	BKN	3006	74	69	7	1000	Cu			
20	045	3	10	Sct	3007	74	68	6	1700	Cu			
21	040	3	10	Sct	3007	74	67	5	1700	Cu			
22	040	3	10	Sct	3008	74	67	4	1700	Cu			
23	045	3	10	Sct	3009	74	67	4	1700	Cu			
24	046	3	10	Sct	3009	74	67	4	1700	Cu			

POSITION	ZONE	TIME
0800		
L IN PORT		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
~~155.0~~ 0 DOV

REMARKS

00-04 moored port side to Berth Bravo 15 U.S. Navy shipyard, Pearl Harbor, Hawaii, with standard mooring lines doubled, material condition Yoke (modified) set. Receiving Electrical power, potable water, steam and telephone service from the pier. Ships present include various units of the U.S. Pacific Fleet ~~District~~ and Small Craft. SOPA is ComCpac 7th Flt.

J. L. Hollis CWO2, USN

04-08 moored as before. 0650 mustered the crew at Quarters, Absentees. none.

J. L. Hollis. CWO2 USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Rosen, Sltg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Monday (Day) 16 (Date) March (Month) 19 64

08-12 Moored as before 0859 made daily inspection of magazines conditions normal.

L.M. Jamer Ens USN

12-16 Moored as before

L.M. Jamer Ens USN

16-20 Moored as before 1800 Set material condition Yoke modified.

L.M. Jamer Ens USN

20-24 Moored as before

L.M. Jamer Ens USN

APPROVED:

C C Rood Lt U. S. N. COMMANDING

EXAMINED:

P D Nason, Lt U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI, ATF-96 ZONE DESCRIPTION +10W DATE Tuesday (Day) 17 (Date) March (Month), 19 64

AT/PASSAGE FROM Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	1	9	BKN	3001	73	69	7	2000	Cu			
02	040	1	9	BKN	3001	72	68	7	2000	Cu			
03	040	1	9	BKN	3001	71	68	7	2000	Cu			
04	040	2	10	BKN	3001	71	68	7	2000	Cu			
05	045	2	10	BKN	3000	70	68	7	2000	Cu			
06	045	3	10	BKN	3000	74	68	7	2000	Cu			
07	045	5	10	BKN	3002	76	71	8	2000	Cu			
08	060	5	10	BKN	3003	76	71	8	2000	Cu			
09	050	5	10	BKN	3003	77	72	8	2000	Cu			
10	050	5	10	BKN	3003	77	72	8	2000	Cu			
11	050	3	10	BKN	3003	72	72	8	2000	Cu			
12	070	3	10	OVC	3000	80	74	10	2000	Cu			
13	090	2	10	OVC	3002	82	76	10	2000	Cu			
14	075	2	10	BKN	2999	86	76	8	2000	Cu			
15	065	2	10	BKN	2998	86	77	8	2000	Cu			
16	060	3	10	BKN	3001	84	74	8	2000	Cu			
17	060	3	10	BKN	3000	84	75	8	2000	Cu			
18	060	3	10	BKN	3002	82	74	8	2000	Cu			
19	060	3	10	BKN	3003	81	74	8	2000	Cu			
20	060	3	10	BKN	3004	80	72	8	2000	Cu			
21	060	3	10	BKN	3004	76	71	8	2000	Cu			
22	060	3	10	BKN	3005	78	71	8	2000	Cu			
23	045	3	10	BKN	3005	77	71	8	2000	Cu			
24	050	3	10	BKN	3006	76	71	8	2000	Cu			

POSITION	ZONE	TIME
0800 L IN PORT	BY	
λ	BY	
1200 L	BY	
λ	BY	
2000 L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM 0800 (ZT) 17 MARCH (Date)
TO 1000 (ZT) 17 MARCH (Date)
SET 055
DRIFT .2 KTS

POSITION BETWEEN FIXES

MID. L
MID. λ

MILES STEAMED 0000-2400: 17.0

FUEL CONSUMED 0000-2400: 65.5

REMARKS

00-04 Moored portside to berth Bravo Fifteen (15) U.S. Naval Shipyard Pearl Harbor Hawaii using standard mooring lines doubled. Material condition Yoke modified is set. Receiving fresh water, electrical power and telephone service from the pier. Ships present include various units of US Pacific Fleet and Yard and district small craft. SOPA is CinCPacFlt

R M Turner Ens USN

04-08 Moored as before 0650 Mustered crew at quarters, absentees none. 0700 Commence making preparations for getting underway. 0710 Set the special sea and anchor detail. Captain and Navigator on the bridge OOD has the Conn. draft 16'0ft; 13'8" fwd. 0731 underway for sea trial in accordance with CEMSERVPAC verbal order. Captain has the Conn. Steering various courses and speeds while navigating Pearl Harbor channel to sea.

R M Turner Ens USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D S Nasen, Stgr U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF 96 TUESDAY (Day) 17 (Date) MARCH (Month), 1964

08-12 Underway as before. 0808 Tossed buoy 1 abeam 0810 Secured special sea and anchor detail. C/C 168° 0815 Entered international waters 0822 C/S to 12.3 kts, 0824 all stop 0825 All back 1/3 0826 All back 10.1 kts 0828 Steering various courses and speeds while testing main motor. 0902 Completed test of main motor, Commenced bumper drills and ship handling training. steering various courses and speeds while conducting OD training, 0936 secured from bumper drills and OD training Entered Inland waters. Set the special sea and anchor detail. Captain and Navigator on the bridge. OOD has the conn. 0938 C/C to 335° 0940 Tossed buoy (1) abeam to Port. Commenced steering various courses and speeds to navigate Pearl Harbor Channel to berth Bravo Fifteen (15). 1021 Moored portside to berth Bravo Fifteen (15) Pearl Harbor Naval Shipyard Hawaii using standard nylon mooring lines doubled. Secured special Sea and Anchor detail. Receiving fresh water, Electrical power, steam, and telephone service from the pier.

Wm James Enslow

08-12 (CONTINUED) MOORED AS BEFORE. 1137 MADE DAILY INSPECTION OF MAGAZINES. CONDITIONS: NORMAL.

C. P. McKenzie, Ens, USNR

12-16 MOORED AS BEFORE.

C. P. McKenzie, Ens, USNR

16-20 MOORED AS BEFORE 1735 HELD FIRE DRILL, MUSTERED THE INPORT FIRE PARTY. ABSENTEES: NONE 1759 SECURED FROM FIRE DRILL. 1800 SET MATERIAL CONDITION YOKE.

C. P. McKenzie, Ens, USNR

20-24 MOORED AS BEFORE.

C. P. McKenzie, Ens, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D D Nason Lt(jg) U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 859990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNARI (ATF 94) ZONE DESCRIPTION +10W DATE WEDNESDAY (Day) 18 (Date) MARCH (Month), 19 64

AT/PASSAGE FROM Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	020	2	10	BKW	3003	74	70	8	3000	Cu			
02	020	2	10	BKW	3002	74	69	7	3000	Cu			
03	020	2	10	BKW	3003	73	67	7	3000	Cu			
04	020	2	10	BKW	3002	72	69	7	2000	Cu			
05	020	2	10	BKW	3000	72	69	7	2000	Cu			
06	020	2	10	BKW	3000	72	69	7	2000	Cu			
07	020	2	10	BKW	3000	74	69	7	2000	Cu			
08	—	—	10	Sct	3002	76	70	6	2000	Cu			
09	—	—	10	Sct	3002	75	71	5	2000	Cu			
10	—	—	10	BKW	3002	83	76	7	2000	Cu			
11	—	—	10	BKW	3003	86	75	9	2000	Cu			
12	030	3	10	BKW	3003	80	75	9	2000	Cu			
13	030	3	10	BKW	3003	82	75	9	3000	Cu			
14	030	3	10	BKW	3000	84	74	9	2000	Cu			
15	030	3	10	BKW	2998	80	74	9	2000	Cu			
16	030	4	10	BKW	2997	80	74	9	2000	Cu			
17	030	4	10	R	2998	80	74	9	2000	Cu			
18	030	5	10	R	3000	80	73	8	2000	Cu			
19	030	4	10	R	3000	80	73	7	2000	Cu			
20	030	4	10	Sct	2999	78	72	3	2000	Cu			
21	030	4	10	Sct	2999	77	71	3	2000	Cu			
22	030	4	10	Sct	2998	75	70	3	2000	Cu			
23	030	7	10	R	2998	74	70	3	2000	Cu			
24	030	4	10	L	2999	73	68	3	2000	Cu			

POSITION	ZONE	TIME
0800 L ~~21° 50N~~	BY ~~3~~	Rsm
λ ~~157° 30W~~	BY ~~3~~	Rsm
1200 L IN PORT	BY	
λ	BY	
2000 L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM ~~0850 17 MARCH~~ (ZT) (Date) Rsm
TO ~~1000 17 MARCH~~ (ZT) (Date) Rsm
SET ~~055~~ Rsm
DRIFT ~~2 KTS~~ Rsm

POSITION BETWEEN FIXES

MID. L
MID. λ

MILES STEAMED 0000-2400
~~658.17~~ Rsm

FUEL CONSUMED 0000-2400
~~17~~ 658 Rsm

REMARKS

ØØ-Ø4 MOORED PORT SIDE TO IN BERTH BRAVO FIFTEEN (B-15) US NAVAL SHIPYARD PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. MATERIAL CONDITION YOKE IS SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET, DISTRICT AND YARD CRAFT. SOPA IS CINC PAC FLT.

C. P. McKenzie, Ens, USNR

Ø4-Ø8 MOORED AS BEFORE. Ø65Ø MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

C. P. McKenzie, Ens, USNR

APPROVED: C.C. Reed Lt. U. S. N. COMMANDING

EXAMINED: DS Nasen Stjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 WEDNESDAY (Day) 18 (Date) MARCH (Month), 19 64

0800 MOORED AS BEFORE. 0822 MADE DAILY INSPECTION OF MAGAZINES; CONDITIONS NORMAL.

LT Houston
LTJG USN

1200 MOORED AS BEFORE.

LT Houston
LTJG USN

1600 MOORED AS BEFORE 1800 SET MODIFIED MATERIAL CONDITION YOKE.

LT Houston
LTJG USN

2000 MOORED AS BEFORE

LT Houston
LTJG USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: P L Nason, Lgg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE THURSDAY (Day) 19 (Date) MARCH (Month), 19 64

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	040	2	10	L	2998	73	68	7	1000	Sc			
02	040	4	10	Sct	2999	74	69	3	2000	Cu			
03	050	6	10	sct	3000	74	69	3	2000	Cu			
04	040	3	10	Sct	3000	74	70	4	2000	Cu			
05	040	3	10	Sct	3000	74	70	5	2000	Cu			
06	040	3	10	BKN	3000	74	70	7	2000	Cu			
07	040	2	10	BKN	2999	72	68	7	2000	Cu			
08	060	2	10	BKN	2999	72	68	7	2000	Cu			
09	020	4	10	Sct	2998	77	69	6	2000	Cu			
10	020	2	10	Sct	2997	83	72	4	2000	Cu			
11	055	3	10	Sct	3000	83	72	5	2000	Cu			
12	055	3	10	Sct	3000	82	73	5	2000	Cu			
13	060	3	10	Sct	3001	84	75	4	2000	Cu			
14	175	3	10	Sct	3002	83	70	4	3000	Cu			
15	175	3	10	Sct	3003	81	69	4	3000	Cu			
16	260	3	10	Sct	3004	82	69	4	3000	Cu			
17	260	4	10	Sct	3005	83	69	4	3000	Cu			
18	260	5	10	Sct	3006	83	69	3	3000	Cu			
19	260	4	10	sct	3005	75	68	3	3000	Cu			
20	260	5	10	Sct	3004	75	67	3	3000	Cu			
21	260	4	10	Sct	3003	74	68	3	3000	Cu			
22	260	4	10	Sct	3002	74	68	2	3000	Cu			
23	260	3	10	Sct	3001	73	67	2	3000	Cu			
24	260	3	10	Sct	3000	72	66	1	3000	Cu			

POSITION	ZONE	TIME
0800		
L IN PORT		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

ØØ-Ø4 MOORED PORT SIDE TO, IN BERTH BRAVO FIFTEEN, U.S NAVAL SHIPYARD, PEARL HARBOR, HAWAII, WITH STANDARD MOORING LINES. MODIFIED MATERIAL CONDITION YOKE SET. RECEIVING FRESH WATER, STEAM, ELECTRICAL POWER, AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, YARD, AND DISTRICT CRAFT. SOPA IS CINCPACFLT.

H E Horton
LTJG USN

Ø4-Ø8 MOORED AS BEFORE. Ø65Ø MUSTERED CREW AT QUARTERS: ABSENTEES: NONE Ø7ØØ EXERCISED CREW AT GENERAL QUARTERS.

H E Horton
LTJG USN.

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D W Mason, Sgt. U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Thursday (Day) 19 (Date) MARCH (Month), 1964

08-12 moored as before: 1038 made daily inspection of magazines. Conditions: Normal.

J.A. Hollis. CWO2 USN

12-16 moored as before:.

J.A. Hollis. CWO2, USN

16-20 moored as before: 1800 set material condition yoke (modified). 1820 Exercised the duty section at rescue and assistance drill (provide).

J.A. Hollis. CWO2 USN

20-24 moored as before.

J.A. Hollis. CWO2 USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R D Mason Lcdr U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 W DATE FRIDAY (Day) 20 (Date) MARCH (Month), 19 64

AT/~~PASSAGE~~ FROM PEARL HARBOR, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	010	2	8	sct	2998	70	66	3	1800	cu			
02	010	2	8	sct	2999	71	67	5	2000	cu			
03	010	2	8	sct	2999	69	66	3	2000	cu			
04	020	2	8	sct	3000	68	65	3	2000	cu			
05	030	2	8	sct	3000	68	65	3	2000	cu			
06	040	2	8	sct	3000	69	66	3	2000	cu			
07	040	2	8	sct	3000	67	64	3	2000	cu			
08	040	2	8	sct	3000	74	62	3	2000	cu			
09	040	2	10	sct	3000	73	63	4	2000	cu			
10	040	2	10	sct	3002	81	66	4	2000	cu			
11	040	2	10	sct	3003	87	72	4	2000	cu			
12	040	2	10	sct	3004	84	72	4	2000	cu			
13	040	2	10	sct	3004	83	72	4	2000	cu			
14	040	2	10	sct	3004	83	71	4	2000	cu			
15	040	2	10	sct	3005	85	73	4	2000	cu			
16	040	2	10	sct	3005	87	72	4	2000	cu			
17	040	2	10	sct	3006	80	72	4	2000	cu			
18	040	2	10	sct	3006	80	71	4	2000	cu			
19	040	2	10	sct	3004	76	70	3	2000	cu			
20	060	2	10	sct	3003	77	70	3	2000	cu			
21	060	2	10	sct	3002	74	69	3	2000	cu			
22	060	2	10	sct	3001	73	69	3	2000	cu			
23	060	2	10	sct	3000	72	69	3	2000	cu			
24	075	2	10	sct	3000	71	69	3	2000	cu			

POSITION	ZONE	TIME
0800		
L 1W PORT		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

~~00-04~~ ~~04-08~~ moored port side to berth, Bravo 15 U.S. Naval Shipyard, Pearl Harbor, Hawaii, with standard mooring lines doubled. Material condition yoke (modified) set. Receiving, Electrical power, steam, potable water and telephone services from the pier. Ships present include various units of the U.S. Pacific Fleet district and small craft. S.O.P.D. is CinCPacFlt.

J.C. Hollis. CWO2-USN

04-08 moored as before: 0650 mustered the crew at quarters. Absentees: None. 0715 commenced Commanding officers personnel Inspection, 0733 secured from Commanding officers personnel Inspection.

J.C. Hollis. CWO 2. USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D D Mason, Sltg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Friday (Day) 20 (Date) March (Month), 19 64

08-12 Moored as before 1105 Made daily inspection of magazines, conditions normal.

R M Turner Ens USNR

12-16 Moored as before

R M Turner Ens USNR

16-20 Moored as before 1800 Set material condition Yoke modified

R M Turner Ens USNR

20-24 Moored as before.

R M Turner Ens USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason, Stjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10W DATE Saturday (Day) 21 (Date) March (Month), 19 64

AT/PASSAGE FROM Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	070	2	10	Sct	2997	73	68	4	1800	Cu			
02	060	2	10	Sct	2997	71	68	4	1800	Cu			
03	060	4	10	Sct	2997	71	68	4	1800	Cu			
04	080	2	10	Sct	2996	71	66	3	2000	Cu			
05	080	2	10	Sct	2997	71	66	3	2000	Cu			
06	070	4	10	Sct	2996	71	65	3	2000	Cu			
07	070	4	10	Sct	2995	71	66	3	2000	Cu			
08	070	3	10	Sct	2998	70	67	3	2000	Cu			
09	070	3	10	Sct	3000	73	70	3	2000	Cu			
10	070	3	10	Sct	3000	78	75	3	2000	Cu			
11	070	2	10	Sct	3000	83	75	4	2000	Cu			
12	080	2	10	Sct	2999	85	75	4	2000	Cu			
13	080	2	10	Sct	2998	88	77	5	2000	Cu			
14	080	2	10	Sct	2996	90	77	5	2000	Cu			
15	080	1	10	BKN	2995	89	76	7	2000	Cu			
16	080	1	10	BKN	2996	87	75	7	2000	Cu			
17	080	1	10	BKN	2996	85	73	7	2000	Cu			
18	060	1	10	BKN	2996	80	72	8	2000	Cu			
19	080	2	10	BKN	2997	80	72	8	2000	Cu			
20	080	2	10	Sct	2996	80	72	6	2000	Cu			
21	085	2	10	Sct	2996	80	72	6	2000	Cu			
22	080	2	10	Sct	2995	79	74	5	2000	Cu			
23	070	5	10	Sct	2997	77	74	4	2000	Cu			
24	070	5	10	BKN	2999	77	74	7	2000	Cu			

POSITION	ZONE	TIME
0800 L	IN PORT	BY
λ		BY
1200 L	—	BY
λ	—	BY
2000 L	—	BY
λ	—	BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 moored portside to berth Bravo Fifteen (15) US Naval Shipyard Pearl Harbor Hawaii using standard mooring lines doubled. Ships present include various units of the US Pacific Fleet and yard and district small craft. Receiving fresh water, electrical power and telephone service from the pier. Material condition Yoke modified is set. SOPA is CinCPacFlt.

Wm James Endlich

04-08 moored as before. 0745 mustered crew on station absentees; none

Wm James Endlich

APPROVED:

C C Reed Lt. U. S. N. COMMANDING

EXAMINED:

R R Mason Ltjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNARI ATF 96 SATURDAY (Day) ~~22~~ 21 (Date) MARCH (Month), 19 64

0800-1200 MOORED AS BEFORE. 0945 MADE DAILY INSPECTION OF MAGAZINES. CONDITIONS: NORMAL.

C. P. McKenzie, Ens, USNR

1200-1600 MOORED AS BEFORE. 1250 HELD FIRE DRILL, AMMUNITION. 1330 SECURED FROM FIRE DRILL.

C. P. McKenzie, Ens USNR

1600-2000 MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE MODIFIED.

C. P. McKenzie, Ens, USNR

2000-2400 MOORED AS BEFORE.

C. P. McKenzie, Ens, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason, Lt U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF 96 ZONE DESCRIPTION +10W DATE ~~22 MARCH~~ SUNDAY 22 MARCH (Day) (Date) (Month), 19 64 CIV

AT/~~PASSAGE~~ FROM Pearl Barbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	070	2	10	BKN	3000	74	71	7	2500	cu			
02	070	3	10	sct	2999	74	71	4	3000	cu			
03	070	4	10	sct	2998	73	69	4	3000	cu			
04	070	4	10	sct	2998	73	69	5	3000	cu			
05	070	4	10	BKN	2999	74	69	7	3000	sc			
06	080	4	10	BKN	2999	75	70	8	3000	sc			
07	060	4	10	BKN	3000	75	70	9	3000	sc			
08	050	4	10	L	3000	74	70	10	1000	st			
09	060	5	10	R	3000	74	69	10	1000	st			
10	070	5	10	R	3000	78	74	10	800	st			
11	065	2	10	L	3000	78	74	10	800	st			
12	080	2	9	R	3001	79	73	10	500	st			
13	070	2	10	L	3001	78	74	10	500	st			
14	080	2	4	L	3002	78	72	10	500	st			
15	100	3	6	L	3003	77	72	10	500	st			
16	100	3	7	L	3001	76	71	10	1000	st			
17	085	2	4	L	3003	76	70	10	1000	st			
18	085	2	6	L	3003	76	70	10	1000	st			
19	060	2	8	L	3001	76	71	10	1000	st			
20	060	5	9	BKN	3001	75	71	8	2000	cu			
21	050	5	9	BKN	3002	75	72	8	2000	cu			
22	050	3	10	sct	3003	75	71	5	2000	cu			
23	040	2	10	sct	3004	77	70	5	2500	cu			
24	040	2	10	sct	3004	74	70	4	2500	cu			

POSITION	ZONE	TIME
0800 L NONE		BY
λ IN PORT		BY
1200 L		BY
λ		BY
2000 L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM — (ZT) (Date)
TO (ZT) (Date)
SET —
DRIFT

POSITION BETWEEN FIXES
MID. L —
MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

ØØ-Ø4 MOORED PORT SIDE TO IN BERTH BRAVO FIFTEEN FORWARD US NAVAL SHIPYARD PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. MATERIAL CONDITION YOKE IS SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET, DISTRICT, AND YARD CRAFT. SOPA IS CINCPACFLT.

C. P. McKenzie, Ens, USNR

Ø4-Ø8 MOORED AS BEFORE. Ø745 MUSTERED THE CREW ON STATIONS. ABSENTEES: NONE.

C. P. McKenzie, Ens, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D D Nissen, Ltjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 SUNDAY (Day) 22 (Date) MARCH (Month) 19 64

08-12 MOORED AS BEFORE. 1052 MADE DAILY INSPECTION OF MAGAZINES: CONDITIONS NORMAL.

S E Horton
LTJG USN

12-16 MOORED AS BEFORE.

S E Horton
LTJG USN

16-20 MOORED AS BEFORE. 1800 SET MODIFIED MATERIAL CONDITION YOKE.

S E Horton
LTJG USN

20-24 MOORED AS BEFORE.

S E Horton
LTJG USN.

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: D S Nason, Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH ☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE MONDAY (Day) 23 (Date) MARCH (Month), 19 64

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	045	3	10	Sct	3004	73	70	1	2000	Cu			
02	047	2	10	Sct	3005	74	70	2	2000	Cu			
03	045	2	10	Sct	3006	74	71	2	2000	Cu			
04	050	2	10	Sct	3006	75	71	3	2000	Cu			
05	050	2	8	BKN	3004	74	70	7	1700	Cu			
06	000	2	8	BKN	3002	71	69	8	1700	Cu			
07	000	1	8	Sct	3002	72	69	4	1700	Cu			
08	010	1	10	Sct	3003	77	72	4	1700	Cu			
09	000	3	10	BKN	3004	77	72	7	1700	Cu			
10	000	1	10	BKN	3005	75	73	7	1700	Cu			
11	000	1	10	Sct	3004	77	74	5	1700	Cu			
12	000	3	10	BKN	3004	82	73	9	1500	Cu			
13	000	3	10	BKN	3003	84	75	8	2500	Cu			
14	010	3	10	BKN	3001	87	73	8	2500	Cu			
15	010	2	10	BKN	2997	82	73	8	2500	Cu			
16	000	2	10	BKN	2998	81	71	8	2500	Cu			
17	000	2	10	BKN	2999	81	71	8	2500	Cu			
18	000	2	10	BKN	2997	81	71	8	2500	Cu			
19	000	2	10	BKN	2999	77	72	8	2500	Cu			
20	000	2	10	BKN	3000	74	72	8	2500	Cu			
21	000	2	10	BKN	3001	75	72	8	2500	Cu			
22	000	2	10	BKN	3002	74	71	8	2500	Cu			
23	000	2	10	BKN	3003	77	71	8	2500	Cu			
24	000	2	10	BKN	3002	74	71	9	2500	Cu			

POSITION	ZONE	TIME
0800 L NOWE		BY
λ IN PORT		BY
1200 L		BY
λ		BY
2000 L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

0000-0004 MOORED PORT SIDE TO, IN BERTH BRAVO FIFTEEN, US NAVAL SHIPYARD, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES. MODIFIED MATERIAL CONDITION YOKE SET. RECEIVING FRESH WATER, ELECTRICAL POWER, STEAM, AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. PACIFIC FLEET, YARD, AND DISTRICT CRAFT. SOPA IS CINCPACFLT.

J E Horton
LTJG USN

0004-0008 MOORED AS BEFORE. 0065 MUSTERED CREW AT QUARTERS: ABSENTEES; NONE

J E Horton
LTJG USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R J Moen, Stjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY (Day) 23 (Date) March (Month) 19 64

08-12 moored as before: 0817 made daily inspection of magazines. Conditions: normal.

J.C. Hollis. CWO 2. USN

12-16 moored as before.

J.C. Hollis. CWO, 2. USN

16-20 moored as before. 1800 set material condition yoke (modified). 1830 mustered the rescue and assistance party. absentees: none.

J.C. Hollis. CWO2, USN

20-24 moored as before.

J.C. Hollis. CWO 2, USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: P D Mason, Stg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE TUESDAY (Day) 24 (Date) MARCH (Month), 19 64

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	000	1	8	BKN	3000	71	69	8	2000	Sc			
02	000	1	8	BKN	2999	71	69	8	2000	Sc			
03	000	1	8	BKN	2996	71	69	8	2000	Sc			
04	000	1	8	BKN	2996	70	69	8	2000	St			
05	001	1	8	R	2996	70	69	8	1200	St			
06	000	1	8	R	2997	70	69	8	1000	St			
07	020	0	8	R	2999	69	67	8	1000	St			
08	020	0	8	R	3000	69	67	8	1000	St			
09	000	1	8	R	3000	69	67	8	1000	St			
10	000	1	8	R	3002	69	67	8	1000	St			
11	010	1	8	R	3002	69	67	8	800	St			
12	001	1	8	R	3002	70	67	8	800	St			
13	000	1	8	R	3001	71	68	8	1000	St			
14	001	1	8	R	2999	71	68	8	1000	St			
15	001	1	8	R	2998	71	69	8	1000	St			
16	000	1	8	L	2997	70	69	8	1000	St			
17	000	1	8	L	2996	71	70	7	1000	St			
18	010	0	10	OVC	2997	71	70	10	1000	Sc			
19	010	0	10	OVC	2999	72	69	10	1000	Sc			
20	010	1	10	OVC	3000	72	69	10	1000	Sc			
21	010	2	10	OVC	3001	71	68	10	1000	Sc			
22	010	1	10	Sct	3001	70	68	5	1000	Sc			
23	010	1	10	Sct	3002	70	68	5	1000	Sc			
24	010	1	10	Sct	3002	69	68	5	1000	Sc			

POSITION	ZONE	TIME
0800 L IN PORT		BY
λ		BY
1200 L		BY
λ		BY
2000 L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 moored port side to berth Bravo 15 U.S. Naval Shipyard, Pearl Harbor, Hawaii, with std. mooring lines doubled, material condition Yoke (modified) set. Receiving Electrical power, Steam, potable water and telephone services from the pier. Ships present include various units of the U.S. Pacific Fleet District and Small craft. S.O.P.D. is CinCPacFlt.

J.L. Hollis. CWO 2 USN

04-08 moored as before. 0650 mustered the crew at Quarters. Absentees: None.

J.L. Hollis. CWO 2. USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D D Mason, Ltjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Tuesday (Day) 24 (Date) March (Month), 19 64

08-12 Moored as before 1000. made daily inspection of magazine conditions normal.

Lyn Turner Enl USN

12-16 Moored as before

Lyn Turner Enl USN

16-20 Moored as before 1800 Set material condition yoke modified

Lyn Turner Enl USN

20-24 Moored as before.

Lyn Turner Enl USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D D Mason Ltjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10W DATE Wednesday (Day) 25 (Date) March (Month), 19 64

AT/PASSAGE FROM Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	0	0	8	R	3001	68	63	5	2000	Sc			
02	0	0	8	R	3001	67	63	5	2000	Sc			
03	0	0	8	R	3000	66	63	5	2000	Sc			
04	0	0	8	R	2999	65	63	5	2000	Sc			
05	0	0	8	R	2998	65	63	5	2000	Sc			
06	0	0	8	R	2997	65	63	5	2000	Sc			
07	0	0	8	R	2997	66	64	5	2000	St			
08	0	0	8	Sct	2998	65	65	4	2000	St			
09	040	1	8	Sct	2998	70	67	4	2000	St			
10	040	2	8	Sct	2998	80	67	4	2000	St			
11	040	3	10	Sct	2999	81	68	4	2000	St			
12	045	3	10	BKN	2999	82	69	8	2000	Cu			
13	040	4	10	Sct	2997	85	70	5	2000	Cu			
14	045	3	10	BKN	2998	82	70	8	2000	Cu			
15	040	3	10	BKN	2996	84	70	7	2000	Cu			
16	040	3	10	BKN	2997	81	70	7	2000	Cu			
17	040	2	10	BKN	2997	60	69	7	2000	St			
18	035	3	10	BKN	2998	79	69	7	2000	St			
19	035	3	10	OVC	2994	79	68	10	2000	St			
20	035	2	10	BKN	2999	80	66	7	2000	St			
21	040	3	10	BKN	2999	78	65	7	2000	St			
22	040	3	10	Sct	3000	77	66	4	2000	St			
23	040	4	10	Sct	3000	77	66	3	2000	St			
24	040	3	10	BKN	3000	74	68	7	2000	St			

POSITION	ZONE	TIME
0800 L IN PORT		BY
λ		BY
1200 L		BY
λ		BY
2000 L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Moored port side to, berth Bravo Fifteen (15) US Naval Shipyard Pearl Harbor Hawaii with standard mooring lines doubled. Receiving fresh water, steam, electrical power and telephone service from the pier. Material condition Yoke modified is set. Ships present include various units of the US Pacific Fleet and various yard and district small craft. SOPA is CinCPac F.F.

Wm James Ens USN

04-08 Moored as before: 0650 Mustered Crew at quarters absentees: none

Wm James Ens USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason Lt(jg) U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 96) WEDNESDAY (Day) 25 (Date) MARCH (Month), 1964

0800-1200 MOORED AS BEFORE. 1131 MADE DAILY INSPECTION OF MAGAZINES. CONDITIONS: NORMAL.

C. P. McKenzie, Ens, USNR

1200-1600 MOORED AS BEFORE.

C. P. McKenzie, Ens, USNR

1600-2000 MOORED AS BEFORE. 1600 MUSTERED THE RESCUE AND ASSISTANCE PARTY; PRESENT. ABSENTEES: NONE. 1800 SET CONDITION YOKE MODIFIED.

C. P. McKenzie, Ens, USNR

2000-2400 MOORED AS BEFORE.

C. P. McKenzie, Ens, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D S Mason, Stfg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10 N DATE THURSDAY (Day) 26 (Date) MARCH (Month), 1964

AT/~~PASSAGE~~ FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	355	2	10	SCT	2998	71	69	3	2000	Cu			
02	350	2	10	BKN	2996	71	69	7	2000	Cu			
03	355	2	10	SCT	2995	70	68	5	1800	Cu			
04	355	2	10	SCT	2994	71	67	4	2000	Cu			
05	345	2	10	SCT	2994	71	68	4	2000	Cu			
06	355	2	10	SCT	2995	71	68	4	2000	Cu			
07	020	2	10	SCT	2996	72	69	4	2000	Cu			
08	040	2	10	SCT	2997	73	69	4	2000	Cu			
09	050	2	10	SCT	2997	74	69	4	2000	Cu			
10	050	2	10	OVC	2998	77	70	10	2000	Cu			
11	080	2	10	OVC	2999	78	71	10	2000	Cu			
12	090	2	10	OVC	3001	80	71	10	2000	Cu			
13	090	2	10	OVC	3002	83	73	10	2000	Cu			
14	090	2	10	BKN	3000	86	75	8	2000	Cu			
15	090	2	10	BKN	2999	87	77	8	2000	Cu			
16	090	2	10	BKN	2997	87	78	8	2000	Cu			
17	090	2	10	BKN	2997	86	77	8	2000	Cu			
18	090	2	10	BKN	2999	87	76	8	2000	Cu			
19	090	2	10	BKN	3000	82	76	8	2000	Cu			
20	090	2	10	BKN	3000	81	76	8	2000	Cu			
21	090	2	10	BKN	3000	80	75	8	2000	Cu			
22	090	2	10	BKN	3000	79	74	8	2000	Cu			
23	090	2	10	BKN	3000	79	73	8	2000	Cu			
24	090	2	10	BKN	3000	78	72	8	2000	Cu			

POSITION	ZONE	TIME
0800 L	157°30 W	BY 3
λ	21°57 N	BY 3
1200 L	IN PORT	BY
λ		BY
2000 L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM — (ZT) (Date)
TO — (ZT) (Date)
SET —
DRIFT —

POSITION BETWEEN FIXES

MID. L —
MID. λ —

MILES STEAMED 0000–2400: 2.2

FUEL CONSUMED 0000–2400: 136

REMARKS

00-04 MOORED PORT SIDE TO IN BERTH BRAVO FIFTEEN (B-15) US NAVAL SHIPYARD, ~~WITH STANDARD ON MOORING CHN~~ PEARL HARBOR, HAWAII WITH STANDARD ON MOORING LINES DOUBLED. RECEIVING FRESH WATER ELECTRICAL, STEAM, AND TELEPHONE SERVICES FROM THE PIER. MATERIAL CONDITION YOKE MODIFIED IS SET SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET, DISTRICT AND YARD CRAFT. SOPA IS CINCPACFLT.

C. P. McKenzie, Cm, USNR

04-08 MOORED AS BEFORE. 0650 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE. 0700 COMMENCED MAKING PREPARATIONS FOR GETTING UNDERWAY. SET MATERIAL CONDITION YOKE. 0740 STATIONED THE SPECIAL SEA AND ANCHOR DETAIL. 0755 COMPLETED MARING PREPARATIONS FOR GETTING UNDERWAY.

APPROVED: DRAFT: FORWARD 14', AFT 16'2".
C. C. Reed Lt U. S. N. COMMANDING

EXAMINED: C. P. McKenzie, Cm, USNR.
D. S. Mason, Sgj U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI THURSDAY (Day) 26 (Date) MARCH (Month), 1964

Ø8-12 Moored as before
~~Ø4-Ø8 (CONTINUED) DRAFT: FORWARD 14', AFT 16'2"~~ Ø8Ø1 UNDERWAY FOR SIERRA SEVENTEEN, SUBMARINE BASE, PEARL HARBOR IN COMPLIANCE WITH COMSERVPAC MESSAGE 11Ø434Z. MANEUVERING TO CLEAR THE BERTH. CAPTAIN AND NAVIGATOR ARE ON THE BRIDGE. EXECUTIVE OFFICER HAS THE CONN. STEERING VARIOUS COURSES AT VARIOUS SPEEDS WHILE SHIFTING BERTHS. Ø821 CAPTAIN HAS THE CONN Ø834 MOORED PORT SIDE TO IN BERTH SIERRA SEVENTEEN FWD (S-17F) ~~WITH STANDARD~~ US NAVAL SUBMARINE BASE PEARL HARBOR, HAWAII, WITH STANDARD MOORING LINES DOUBLED. MATERIAL CONDITION YOKE MODIFIED IS SET RECEIVING STEAM, FRESH WATER, ELECTRICAL, AND TELEPHONE SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET DISTRICT AND YARD CRAFT. SOPA IS CINCPAC FLT. Ø8-~~1Ø~~ USS HITCHITI (ATF 103) MOORED ALONGSIDE TO STARBOARD. Ø844 SECURED THE SPECIAL SEA AND ANCHOR DETAIL.

C.P. McKenzie, Ens, USMR

Ø8-12 (CONT) ~~11Ø5~~ MOORED AS BEFORE. 11Ø5 MADE DAILY INSPECTION OF MAGAZINES: CONDITIONS NORMAL.

L E Horton
LTJG USN

12-16 MOORED AS BEFORE.

L E Horton
LTJG USN

16-20 MOORED AS BEFORE. 18ØØ SET MODIFIED MATERIAL CONDITION YOKE.

L E Horton
LTJG USN

2Ø-24 MOORED AS BEFORE

L E Horton
LTJG USN.

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Nason, Stgy U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE FRIDAY (Day) 27 (Date) MARCH (Month), 19 64

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	060	2	5	Sct	3002	70	67	4	1500	Cu			
02	060	2	5	sct	3002	69	67	3	1500	Cu			
03	050	2	8	sct	3004	69	67	4	1500	Cu			
04	060	2	8	sct	3004	72	68	5	1500	Cu			
05	060	1	10	OVC	3002	75	69	9	1000	Sc			
06	060	1	10	OVC	3002	77	71	10	1000	Sc			
07	060	1	10	OVC	3001	79	73	10	1000	Sc			
08	0	0	10	OVC	3001	80	73	10	1000	Sc			
09	0	0	10	OVC	3002	81	73	10	1000	Sc			
10	0	0	10	OVC	3000	83	73	10	1000	Sc			
11	0	0	10	OVC	3000	85	73	10	1000	Sc			
12	0	0	10	K	2997	82	73	10	1000	Sc			
13	0	0	10	K	2998	82	73	10	1000	Sc			
14	060	3	10	BKN	2999	81	71	8	1000	Sc			
15	045	3	10	BKN	3000	79	71	8	1000	Sc			
16	045	3	10	BKN	3000	78	71	8	1000	Sc			
17	050	3	10	BKN	3000	77	71	8	1000	Sc			
18	055	4	10	L	3000	77	71	8	1000	Sc			
19	050	4	10	BKN	2999	77	71	8	1000	Sc			
20	050	5	10	BKN	2999	76	71	8	1000	Sc			
21	045	5	10	BKN	2998	75	71	8	1000	Sc			
22	045	5	10	BKN	2999	74	71	8	1000	Sc			
23	045	5	10	BKN	3000	74	71	8	1000	Sc			
24	040	5	10	BKN	3000	74	71	8	1000	Sc			

POSITION	ZONE	TIME
0800		
L IN PORT		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 MOORED PORT SIDE TO IN BERTH SIERRA SEVENTEEN US SUBMARINE BASE, PEARL HARBOR, HAWAII, WITH STANDARD MOORING LINES. USS HITCHITI (ATF-103) MOORED ALONGSIDE TO STARBOARD. RECEIVING FRESH WATER, ELECTRICIAL POWER, AND TELEPHONE SERVICE FROM THE PIER. MODIFIED MATERIAL CONDITION YOKE SET. SOPA IS DEPUTY CINCPACFLT.

J E Horton
LTJG USN

04-08 MOORED AS BEFORE. 0650 MUSTERED CREW AT QUARTERS: ABSENTEES: NONE.

J E Horton
LTJG USN
V

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R D Nason Lyn U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) FRIDAY (Day) 27 (Date) MARCH (Month), 1964

08-12 moored as before; 1003 made daily inspection of magazines, conditions: normal. made weekly test and inspection of the magazine sprinkling system. Test: satisfactory.

J.C. Hollis. CWO2-USN

12-16 moored as before.

J.C. Hollis CWO2-USN

16-20 moored as before. 1800 Set material condition yoke (modified). 1830 Held Rescue and assistance drill. ~~absentees: none.~~

J.C. Hollis. CWO2-USN

20-24 moored as before. 2100 commenced making preperations to get underway if necessary. Tidal wave warning ~~it~~ in effect. 2230 main engines warmed up and sea detail stations manned. The Captain + navigator on the Bridge. Shore utilities secured. 2315 Secured the main engines, relaxed on sea detail stations. No tidal action observed at berth.

J.C. Hollis. CWO2-USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: D S Nason, Lt Jg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10-W DATE SATURDAY (Day) 28 (Date) MARCH (Month), 1964

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	2	10	BKN	2999	74	72	7	2000	CU			
02	045	2	10	BKN	3000	74	72	7	2000	CU			
03	040	2	10	BKN	3001	76	72	7	2000	CU			
04	045	2	10	BKN	3001	77	72	7	10000				
05	045	2	10	BKN	3001	77	73	7	10000				
06	040	2	10	BKN	3000	79	74	8	3000				
07	045	2	10	BKN	3000	80	75	8	3000				
08	045	2	10	BKN	3000	81	76	8	3000				
09	045	2	10	BKN	3000	82	76	8	3000				
10	045	4	10	BKN	3001	83	76	7	3000				
11	040	2	10	BKN	3001	84	75	7	3000				
12	040	2	10	BKN	3002	88	75	7	3000				
13	040	2	10	BKN	3002	88	75	7	3000				
14	040	2	10	BKN	3004	87	75	7	3000				
15	035	2	10	BKN	3003	86	74	7	3000				
16	037	4	10	BKN	3004	85	74	6	3000				
17	030	2	10	BKN	3006	83	74	8	3000				
18	030	2	10	BKN	3005	81	74	8	3000				
19	030	1	10	BKN	3004	80	74	8	3000				
20	030	1	10	BKN	3003	80	74	8	3000				
21	040	1	10	BKN	3002	79	73	8	3000				
22	040	1	10	BKN	3001	77	73	6	3000				
23	040	1	10	BKN	3000	77	72	8	3000				
24	040	1	10	BKN	3000	75	72	8	3000				

POSITION	ZONE	TIME
0800		
L/N pier		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 moored port side to berth Juliet 17 forward at U.S. Naval Submarine Base, Pearl Harbor, Hawaii with standard mooring lines doubled, inboard nest of two ships, port USS HITCHITI (ATF-103) moored outboard to starboard. The Captain & navigator are on the Bridge. The Crew at standby Sea and anchor detail, Local Tidal wave alert in effect. Material Condition yoke set main deck & below. Extra 5 inch nylon lines out fore & aft. Ship's present include various units of the U.S. Pacific Flt. district and small craft. S.O.P.A. is Deputy Cin Cpac Flt. 0114 secured from Tidal wave alert. Secured the special sea detail, took on Electrical power, potable water and telephone services from the pier.

J.L. Hallis. CWO2 USN

04-08 moored as before: 0745 mustered the crew on stations: Absentees: none.

J.L. Hallis. CWO2-USN.

APPROVED: C.C. Reed LT U. S. N. COMMANDING

EXAMINED: D.S. Nason, LTjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Saturday (Day) 28 (Date) March (Month) 19 64

08-12 Moored as before 0919 made daily inspection of magazine conditions normal.

L M Turner Enc USN

12-16 Moored as before

L M Turner Enc USN

16-20 Moored as before. 1800 Set material condition yoke modified

L M Turner Enc USN

20-24 Moored as before.

L M Turner Enc USN

APPROVED:

C C Reed Lt. U. S. N. COMMANDING

EXAMINED:

D J Mason Ltjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION HOW DATE Sunday (Day) 29 (Date) March (Month), 19 64

AT/PASSAGE FROM Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	2	10	OVC	3001	73	66	10	1800	Cu			
02	040	2	10	OVC	3001	73	66	10	1800	Cu			
03	050	1	10	OVC	3001	73	66	10	1800	Cu			
04	050	2	10	OVC	3001	72	66	10	1800	Cu			
05	050	3	10	OVC	3001	72	66	10	2000	Cu			
06	050	3	10	OVC	3001	72	66	10	2000	Sc			
07	050	3	10	OVC	3002	72	66	10	2000	Sc			
08	055	3	10	OVC	3002	72	69	10	2000	Sc			
09	055	3	10	OVC	3001	73	70	10	2000	Sc			
10	055	3	10	OVC	3002	74	70	10	2000	Sc			
11	055	3	10	OVC	3001	77	71	10	2000	Sc			
12	038	3	10	BKN	3001	81	73	8	2000	Sc			
13	040	3	10	BKN	3001	83	75	7	2000	Sc			
14	040	3	10	BKN	3001	85	77	7	2000	Sc			
15	040	3	10	BKN	3001	89	77	7	3000	Sc			
16	040	3	10	BKN	3002	89	77	7	3000	Sc			
17	045	3	10	BKN	3003	86	75	7	3000	Sc			
18	045	3	10	Sct	3004	82	74	5	3000	Sc			
19	045	3	10	Sct	3003	81	73	5	3000	Sc			
20	045	3	10	Sct	3002	80	72	5	3000	Sc			
21	045	3	10	Sct	3002	79	71	5	3000	Sc			
22	045	3	10	Sct	3001	78	71	5	3000	Sc			
23	045	3	10	Sct	3000	77	71	4	3000	Sc			
24	045	3	10	Sct	3000	77	71	4	3000	Sc			

POSITION	ZONE	TIME
0800 L IN PORT	BY	
λ	BY	
1200 L	BY	
λ	BY	
2000 L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT

POSITION BETWEEN FIXES

MID. L
MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Moored portside to berth Sierra Seventeen (17) U.S. Naval Submarine Base Pearl Harbor Hawaii using standard mooring lines doubled. Material condition Yoke modified is set. Receiving fresh water, electric power and telephone service from the pier. Ships present include various units of US Pacific Fleet and various yard and district small craft. SOPA is CmCfa Ltd. The USS Hitchiti (ATF-103) is moored to starboard.

R M Turner Eng USNR

04-08 Moored as before 0745 mustered crew on station absentees: none

R M Turner Eng USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R D Mason, Stgr U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 96) SUNDAY (Day) 29 (Date) MARCH (Month), 19 64

0800-1200 ~~MADE~~ MOORED AS BEFORE. 1000 MADE DAILY INSPECTION OF MAGAZINES. CONDITIONS: NORMAL.

C. P. McKenzie, Ens, USNR

1200-1600 MOORED AS BEFORE.

C. P. McKenzie, Ens, USNR

1600-2000 MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YORE MODIFIED.

C. P. McKenzie, Ens USNR

2000-2400 MOORED AS BEFORE

C. P. McKenzie, Ens, USNR

APPROVED: C C Reed Lt U. S. N. COMMANDING

EXAMINED: R S Mason, Ltjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF 96) ZONE DESCRIPTION +10 W DATE MONDAY (Day) 30 (Date) MARCH (Month), 19 64

AT/PASSAGE FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	050	2	10	Sct	3001	74	66	5	1800	Cu			
02	050	3	10	Sct	3000	72	64	5	1800	Cu			
03	050	3	10	BKN	3000	73	65	7	2000	Cu			
04	050	3	10	BKN	3002	74	66	7	2000	Cu			
05	050	3	10	BKN	3003	75	66	7	2000	Cu			
06	050	3	10	BKN	3003	75	66	7	2000	Cu			
07	050	3	10	BKN	3001	74	77	7	2000	Cu			
08	050	3	10	BKN	3001	77	68	7	2000	Cu			
09	650	3	10	BKN	3001	78	69	7	2000	Cu			
10	045	3	10	BKN	3003	80	70	7	2000	Cu			
11	045	4	10	Sct	3001	82	71	5	2000	Cu			
12	050	4	10	Sct	3001	84	72	5	2000	Cu			
13	050	4	10	Sct	3000	86	74	5	2000	Cu			
14	060	4	10	Sct	3001	87	77	5	2000	Cu			
15	055	4	10	Sct	3000	86	77	4	2000	Cu			
16	050	4	10	Sct	3001	86	77	4	2000	Cu			
17	055	4	10	Sct	3002	84	76	4	2000	Cu			
18	050	4	10	Sct	3003	82	75	4	2000	Cu			
19	045	4	10	Sct	3002	81	75	4	2000	Cu			
20	040	4	10	Sct	3001	80	75	4	2000	Cu			
21	040	4	10	Sct	3001	79	75	4	2000	Cu			
22	040	4	10	Sct	3000	77	75	4	2000	Cu			
23	040	4	10	Sct	3001	77	75	4	2000	Cu			
24	040	5	10	Sct	3002	74	75	4	2000	Cu			

POSITION	ZONE	TIME
0800		
L IN PORT		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-07 MOORED ~~STARBOARD~~ PORT SIDE TO IN BERTH C2 SIERRA SEVENTEEN FORWARD (S-17) WITH STANDARD MOORING LINES DOUBLED. USS HITCHITI (ATF 103) MOORED ALONGSIDE TO STARBOARD. RECEIVING STEAM, ELECTRICAL, FRESH WATER, AND TELEPHONE SERVICES FROM THE PIER. MATERIAL CONDITION YOKE (MODIFIED) IS SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET, DISTRICT AND YARD CRAFT. SOPA IS CINCPACFLT.

C.P. McKenzie, Ens, USNR

04-08 MOORED AS BEFORE. 0650 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

C. P. McKenzie, Ens, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R R Mason, LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP USS ABNAKI ATF-96 MONDAY (Day) 30 (Date) MARCH (Month), 19 64

Ø8-12 MOORED AS BEFORE. Ø822 USS HITCHITE (ATF-103) UNDERWAY FROM ALONG SIDE TO STARBOARD. Ø825 MADE DAILY INSPECTION OF MAGAZINES. CONDITIONS NORMAL.

J E Horton
LTJG USN

12-16 MOORED AS BEFORE

J E Horton
LTJG USN

16-2Ø MOORED AS BEFORE 18ØØ SET MODIFIED MATERIAL CONDITION YOKE.

J E Horton
LTJG USN

2Ø-24 MOORED AS BEFORE

J E Horton
LTJG USN

APPROVED:

C C Reed Lt. U. S. N. COMMANDING

EXAMINED:

P S Nasen, Ltjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE TUESDAY (Day) 31 (Date) MARCH (Month), 1964

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	040	2	10	Sct	2999	74	67	3	1800	Cu			
02	040	2	10	Sct	3000	74	68	3	2000	Cu			
03	040	4	10	sct	3001	73	69	3	2000	Cu			
04	045	4	10	Sct	3001	72	68	3	2000	Cu			
05	030	4	10	Sct	3005	73	69	4	2000	Cu			
06	030	4	10	Sct	3006	74	70	4	2000	SC			
07	040	4	10	Sct	3007	75	70	5	2000	Sc			
08	045	4	10	BKN	3009	76	71	6	2000	SC			
09	055	4	10	BKN	3008	78	72	6	2000	St			
10	060	4	10	BKN	3007	80	73	7	2000	ST			
11	050	4	10	BKN	3005	83	74	7	2000	SC			
12	050	5	10	BKN	3003	85	75	7	2000	Sc			
13	050	3	10	BKN	3002	86	76	7	2000	Sc			
14	055	3	10	BKN	3001	87	77	7	2000	Sc			
15	060	3	10	BKN	3002	89	76	7	2000	Sc			
16	060	2	10	BKN	3002	87	75	7	2000	Sc			
17	070	2	10	BKN	3003	84	75	7	2000	Sc			
18	055	2	10	BKN	3004	82	74	7	2000	Sc			
19	050	3	10	BKN	3005	81	74	7	2000	Sc			
20	070	2	10	BKN	3004	80	74	7	2000	Sc			
21	060	2	10	Sct	3003	79	73	4	2000	Sc			
22	060	2	10	Sct	3002	77	72	5	2000	Sc			
23	060	2	10	Sct	3001	74	72	3	2000	Sc			
24	060	2	10	Sct	3000	75	71	5	2000	Sc			

POSITION	ZONE	TIME
0800 L/N DOCK		BY
λ		BY
1200 L		BY
λ		BY
2000 L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

ΦΦ-Φ4 MOORED PORT SIDE TO IN BERTH SIERRA SEVENTEEN, U.S. SUBMARINE BASE, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. MODIFIED MATERIAL CONDITION YOKE SET. RECEIVING FRESH WATER, ELECTRICAL POWER, AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, YARD, AND DISTRICT CRAFT. SOPA IS CINCPACFLT. ΦΦ40 KARNS, W. L. 390-05-35 RMSN AND WETZLER K.J 391-18-19 SN. RETURNED ON BOARD AFTER BEING ATTACKED AND BEATEN NEAR THE HEAD OF PIER SIERRA FOURTEEN. US SUBMARINE BASE ΦΦ44 PHNSYD POLICE CALLED AND INFORMED OF ABOVE INCIDENT Φ1Φ3 KARNS W.L. AND WETZLER, K.J TAKEN TO PHNSYD DISPENSARY FOR TREATMENT. Φ310 KARNS, W.L. AND WETZLER, K.J. RETURNED ON BOARD. BOTH MEN AMBULATORY. MEDICAL REPORT WILL FOLLOW.
LE Horton LTJG USN

Φ4-Φ8 MOORED AS BEFORE. Φ650 MUSTERED CREW AT QUARTERS! ABSENTEES: NONE.
LE Horton, LTJG.

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D L Mason, Lt U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) TUESDAY (Day) 31 (Date) MARCH (Month) 1964

0812 moored as before. 1028 made daily inspection of magazines. conditions: normal.

Jal. Hallis, CWO2 USN

1216 moored as before. 1205 USS HITCHITI (ATF-103) moored alon outboard to starboard.

Jal. Hallis CWO2 USN

1620 moored as before. 1800 set material condition yoke (modified) - 1825 mustered the impart duty fire party. absentee: none.

Jal. Hallis. CWO2, USN

2024 moored as before.

Jal Hallis. CWO 2-USN

APPROVED:

C C Reed Lt. U. S. N. COMMANDING

EXAMINED:

P S Mason, Ltjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ (Day) (Date) (Month), 19__

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

APPROVED:

_____ U. S. N. COMMANDING

EXAMINED:

_____ U. S. N. NAVIGATOR